

Geo-Chem (Thailand) Co., Ltd. Head Office: 1 MD Tower, 22nd Floor Unit F, Soi Bangna-Trad 25, Bangna-Trad Rd., Kwang Bangna Nuea, Khet Bangna, Bangkok 10260 Thailand

Tel: +66(0) 2 173 5896-9, (0) 2 173 5890

Fax: +66(0) 2 173 5889 www.geochem.net.in

REPORT NO.	GC/OP/EL05/0872/2024/D-1	DATE	MAY 17, 2024	
NAME OF VESSEL	MT HAKONE GALAXY	LOADING PORT	MAP TA PHUT, THAILAND	
COMMODITY	ACETONE			

CERTIFICATE OF QUALITY

SOURCE
TYPE OF SAMPLE
DATE OF SAMPLING
SAMPLE DRAWN AND SUBMITTED BY
SAMPLE TESTED AT

Shore tank No. T-0412, T-0413 & T-0414 Composite sample taken before loading May 10,11 & 13, 2024 (Respectively) Geo-Chem Inspector

Terminal Laboratory as witnessed by Geo-Chem Chemist Inspector

On witnessing of analysis, the following results were obtained :-

TEST ITEMS	TEST METHOD	Ī	TEST RESULTS		
		SI	SHORE TANK NO.		
		<u>T-0412</u>	<u>T-0413</u>	<u>T-0414</u>	
Acetone Purity (Dry Basis), wt%	In house Method base on QCL-236-03	99.97	99.97	99.97	
Specific Gravity @ 20 / 20 deg.C	ASTM D-4052	0.7920	0.7920	0.7921	
Distillation Range, deg.C	ASTM D-1078	0.4	0.3	0.3	
Permanganate test, minutes	ASTM D-1363	> 120	> 120	> 120	
Non volatile matter, g/100ml	ASTM D-1353	0.0001	0.0002	<0.0001	
Water Content, wt%	ASTM D-1364	0.26	0.27	0.26	
Color, Pt-Co	ASTM D-1209	3	2	2	
Appearance	Visual	Clear	Clear	Clear	

NOTE:

When analysis witnessed by us, our responsibility is solely to ensure that the analysis conducted to standard test methods. In accordance with industry accepted practice. We are not responsible for all apparatus, instrumentation and measuring devices, calibration of same and working order. Reagents and solutions are accepted as prepared.

The above results are reproduced from original documentation issued by the terminal and are presented here without prejudice.

