

❖ AUTO EDGE BANDING MACHINE LINEAR SERIES



FTY-E350E



FTY-E300B

Application:


The LINEAR series are designed for edging straight panel with hot melt glue by thru feed system which consists of top pressure rollers and bottom feed chain. The edging material can be of PVC, melamine or veneer in strip or coil. Solid lippings with a maximum thickness of 10mm are also applicable. This easy operated machine is an ideal LINEAR production equipment for those of straight edges, which require small quantities only but various job orders from time to time.

Features:


1. Heavy and rigid constructure to ensure necessary accuracy and stability.
2. To guarantee straight-line feed of the panel, a double row of rubber toothed rollers is off-centered onto top pressure beam and the bottom feed track with rubber calibrated pads is running on cylindrical guide.
3. The top pressure beam is supported with two reinforced columns and equipped with visible linkages for thickness adjustment.
4. The feed of edging material, in strip/coil, is automatic and synchronously with panel feed.
5. The electric and pneumatic system is incorporated in the built-in control cabinets.

Illustration for working processes:


MODEL : FTY-E200



MODEL : FTY-E250



MODEL : FTY-E250B




MODEL : FTY-E300




MODEL : FTY-E300B




MODEL : FTY-E350




MODEL : FTY-E350G




MODEL : FTY-E400




MODEL : FTY-E400P




MODEL : FTY-E500



MODEL : FTY-E500G




MODEL : FTY-E600




MODEL : FTY-E600B




MODEL : FTY-E600G



MODEL : FTY-E700B



MODEL : FTY-E700G



Specifications:

Model no.		FTY-E200	FTY-E250/E250B	FTY-E300/E300B	FTY-E350/E350G	FTY-E400P	FTY-E500G
Working size	Panel length	Min. 140mm (5-1/2") - Up					
	Panel width	Min. 55mm (2-1/8") - Up					
	Panel thickness	10mm (2/5") - 50mm (2")					
	Edging thickness	0.4mm (1/64") - 10mm (13/32")					
Feeding system	Feed speed	6-30mpm (20-66fpm)					
	Power	2HP (1.5kw)/ 3HP (2.25kw)/ 5HP (3.5kw)					
Machine size (mm)		2940 x 800 x 1415	3440 x 800 x 1415	3940 x 800 x 1415	4520 x 800 x 1415	5200 x 800 x 1415	6200 x 800 x 1415
Packing size (mm)		3090 x 910 x 1640	3590 x 910 x 1640	4090 x 910 x 1640	4670 x 910 x 1640	5350 x 910 x 1640	6350 x 910 x 1640
Net weight		1000	1150	1300	1450	1730	2050
Gross weight		1160	1330	1510	1685	2000	2370