



### Shenzhen VStarcam Technology Co.,Ltd



Facebook



YouTube

Address: 4th Floor, G Building, Jiangxia Tech Park, Huangfengling Industrial Zone,  
Shiyan Street, Baoan District, Shenzhen City.  
Tell : +86-0755-33953177  
Fax : +86-0755-27655024  
Sales Email: sales@vstarcam.com  
Technical Support Email: support@vstarcam.com

Version:20180315

 **STARCAM**<sup>®</sup>  
— My safety, My rule! —



CE FC ROHS BSCI  
Leading smart hardware solution provider



[www.vstarcam.com](http://www.vstarcam.com)



## Content

Company Introduction.....	02
720P IP Camera.....	03
1080P IP Camera.....	07
4.0 Megapixel HD IP Camera.....	21
Smart Home Kits.....	23
Smart Alarm Kits.....	26
Surveillance Kits.....	29
WiFi Smart Unit.....	36
WiFi Doorbell.....	39
Cloud Service.....	42
Awards.....	44



## Company Introduction

Shenzhen VStarcam Technology Co., Ltd.



Shenzhen VStarcam Technology Co., Ltd. is a national High-Tech enterprise, integrates development, production, and sales, products mainly covering video surveillance, smart home, and intelligent security, has become the leading supplier of the rapid growing network intelligent hardware and system.

VStarcam was founded in 2011, headquartered in Shenzhen. Products and solutions have been widely applied in more than 190 countries, has built a strong R&D, marketing and service network both domestically and worldwide.

VStarcam aims to become the guardian of human security core strength. Yesterday, VStarcam create excellence! Today, VStarcam beyond dreams!

720P  
WIFI IP CAMERA

NO.01-15



C7838WIP




C7823WIP



C7835WIP



C7842WIP



C7824WIP



C7837WIP



C93



C7816WIP



C7815WIP



C17



C33-X4



C33



C72R



C21



C37A

1080P  
WIFI IP CAMERA

7 PAGE



SMART  
4.0megapixelHD

21 PAGE



C22Q

Page22

SMART  
HOME KITS

23 PAGE



E27

Page24



E38

Page25

SMART  
ALARM KITS

29 PAGE



C37-AR

Page27

↙ SURVEILLANCE KITS **2** PAGE



NVS-K200

Page 30



K200-C38

Page 31



K200-C16

Page 32



N400 (N800.N160)

Page 33



N400-C15

Page 34



N400-C37

Page 35

↙ WIFI SMART UNIT **3** PAGE



WiFi Lamp

Page 37



WiFi Socket

Page 37



C95 WiFi Doorcam

Page 38



D1 WiFi Doorcam

Page 38

06

↙ WIFI DOORBELL **3** PAGE



D2

Page 40



DB1

Page 41



1080P  
WIFI IP CAMERA

Panoramic Surveillance

## 180° panoramic surveillance Indoor IP Camera

1080P FHD
WiFi
Mobile
Storage
Light
H.264
Intercom







### C60S

- 180° panoramic surveillance
- EPTZ, Pan: 190° Tilt: 95°
- H.264 compression format, CMOS 2.0 Megapixel.
- Support RTSP protocol.
- Huawei Hisilicon processor
- One key WiFi setup
- 1080P, VGA, QVGA triple stream.
- 4-Channel real time view in smartphone APP.
- 2.4mm lens, one piece super power LED light, 10m night vision.
- Built-in IR-Cut filter, no color cast, better night vision.
- Built-in microphone and speaker, two way audio, loud intercom.
- Support up to 128G TF card storage, loop recording.
- Support dynamic IP, WiFi, IEEE802.11 b/g/n.
- Support iOS and Android.
- VStarcam exclusive design.

08

Panoramic Surveillance

180° panoramic surveillance  
1080P HD  
PnP WiFi Outdoor IP Camera

1080P FHD
WiFi
Mobile
TF Card
Light
H.264
Menu
Waterproof





**C63S**

- Huawei Hisilicon processor
- H.264 video compression
- Support 4 users simultaneously monitoring
- RTSP supportive
- Main Stream: 1080p (1920×1080) @15fps
- 1/2.7 inch 1080p CMOS
- 2.4mm lens, IR-CUT auto-switch, 3 IR LEDs, IR distance: 10m
- View angle: Horizontal 192°
- Operating Temperature:-10 ~ 50 ℃ ,humidity: < 90%
- TF card storage( up to 128G)
- motion detection alarm
- Contrast brightness color are adjustable
- Support Android/iOS App remote surveillance
- Waterproof : IP66

**09**



1080P FHD PnP WiFi IR  
P/T Indoor IP Camera



C22S



C38S

### Product parameters

- Unique design from VStarcam.
- H.264 Video Compression, Plug & Play.
- Support RTSP protocol.
- Huawei Hisilicon processor
- One key WiFi setup
- 1/3 inch CMOS sensor, 2.0 Megapixel.
- 1080P/720P/VGA Resolution.
- 4.0mm Lens,IR distance: 10M.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Built-in speaker and microphone, talkback at anytime anywhere.
- 4-Channel real time view in smartphone APP.
- Support up to 128G TF card,loop recording.
- Support motion detection alarm, snapshot and video recording.
- Support dynamic IP, WiFi,IEEE 802.11 b/g/n.
- Support iOS and Android.

1080P FHD PnP WiFi IR  
P/T Indoor IP Camera



C35S



C23S

**Product parameters**

- H.264 Video Compression, Plug & Play.
- Support RTSP protocol.
- Huawei Hisilicon processor.
- 1/2.7 inch CMOS sensor,2.0 Megapixel.
- 1080P/360P/180P triple stream.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Support 4-Channel view on mobile phone APP.
- Support up to 128G TF card,loop recording.
- Support dynamic IP, WiFi, IEEE 802.11 b/g/n.
- Support motion detection.
- Support iOS and Android.
- 4.0mm Lens,IR distance:10M

1080P FHD PnP WiFi IR  
P/T Indoor IP Camera




C26S



C21S

Product parameters

- H.264 Video Compression, Plug & Play.
- Support RTSP protocol.
- Huawei Hisilicon processor.
- 4.0mm Lens,IR distance:10M
- One key WiFi setup
- 1/2.7 inch CMOS sensor, 2.0 Megapixel.
- 1080P/VGA/QVGA Resolution.
- C26S:Support pan/tilt control(pan:355°&tilt:110°)and auto cruise,15perset positions.
- C21S:Support pan/tilt control(pan:317°&tilt:140°)and auto cruise,15perset positions.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Built-in speaker and microphone, talkback at anytime anywhere.
- 4-Channel real time view in smartphone APP.
- Support up to 128G TF card,loop recording.
- Support motion detection alarm, snapshot and video recording.
- Support dynamic IP, WiFi,IEEE 802.11 b/g/n.
- Support iOS and Android.



1080P FHD PnP WiFi  
IR P/T Indoor IP Camera



C24S



C37S

### Product parameters

- H.264 compression format, CMOS 2.0 Megapixel.
- Support RTSP protocol.
- Huawei Hisilicon processor.
- One key WiFi setup
- 1080P、720P、VGA triple stream.
- 4-Channel real time view in smartphone APP.
- 4.0mm lens,10m night vision.
- Built-in IR-CUT filter, no color cast, better night vision.
- Built-in microphone and speaker, two way audio, excellent cavity design, loud intercom.
- Support up to 128G TF card storage, loop recording.
- C24S:Support pan/tilt control(pan:270°&tilt:80°)and auto cruise,15preset positions.
- C37S:Support pan/tilt control(pan:355°&tilt:120°)and auto cruise,15preset positions.
- Support up to 15 preset positions, motion detection alarm.
- Support dynamic IP, WiFi, IEEE802.11 b/g/n.
- Support iOS and Android.

1080P FHD  
PnP WiFi Indoor IP Camera



C93S



C92S

Product parameters

- Unique design from VStarcam.
- H.264 Video Compression, Plug & Play.
- Support RTSP protocol.
- Huawei Hisilicon processor.
- One key WiFi setup
- 4.0mm lens,1/2.7 inch CMOS sensor,2.0 Megapixel.
- 1080P/VGA/QVGA Resolution.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Built-in speaker and microphone, talkback at anytime anywhere.
- 4-Channel real time view in smartphone APP.
- Support up to 128G TF card,loop recording.
- Support motion detection alarm, snapshot and video recording.
- Support dynamic IP, WiFi,IEEE 802.11 b/g/n.
- Support iOS and Android.

## 1080P HD PnP WiFi Outdoor IP Camera



C16S




C15S



C17S

### Product parameters

- H.264 Video Compression, Plug & Play.
- Support RTSP protocol.
- Huawei Hisilicon processor.
- 4.0mm lens,1/2.9 inch CMOS sensor,2.0 Mega pixel.
- 1080P/VGA/QVGA triple stream.
- Built-in IR-CUT filter, no color cast.
- Support 4-Channel view on mobile phone APP.
- Support dynamic IP, WiFi,IEEE 802.11 b/g/n.
- Support up to 128G TF card,loop recording.
- Support motion detection.
- Support iOS and Android.
- C16S:IP67 waterproof dustproof.
- C15S、C17S:IP66 waterproof dustproof.




1080P HD  
PnP WiFi Outdoor IP Camera



### C34S-X4



- 1080P, 720P, VGA triple stream.
- Support ONVIF/RTSP protocol, support NVR in the mainstream market.
- Support Windows computer, iPad, iPhone and Android phone.
- H.264 compression, COMS 2.0 Megapixel.
- 4-channel real time view in smart phone APP.
- Support dynamic IP, WiFi, IEEE802.11b/g/n.
- 2.0M FHD, Video is very clear and smooth.
- One key WiFi configuration, matching code in smart way.
- Support up to 128G TF card storage, loop recording.
- Support optical 4 x Zoom.
- Support auto focusing, manually AF Micro-adjustment.
- Waterproof : IP66



COLORED IMAGE DAY AND NIGHT  
 1080P HD  
 PnP WiFi Outdoor IP Camera



### C18S

- H.264 video compression, CMOS 2.0 megapixel.
- Support 4 visitors at the same time.
- AP hotspots, support RTSP.
- Support 1080P, VGA, QVGA three streams output.
- Support 128G TF card storage, loop recording.
- 4.0mm lens, colored image at both day and night.
- LED strong light drive theft.
- Dustproof, rainproof and anti-interference.
- Hidden microphone, clear sound.
- Support 15 preset positions, Motion detection alarm.
- New model with rain cover.
- Volume and Music type are selectable.
- Waterproof : IP66

360° PANORAMIC MONITORING  
3.0 Megapixel  
PnP WiFi Indoor IP Camera



**C61S**

- H.264 video compression, CMOS 3.0 megapixel
- Support 4 visitors at the same time
- AP hotspots, support RTSP
- 1536P single stream output
- Huawei Hisilicon chipset
- Support 128G TF card storage, loop recording
- 4.0mm lens, night vision distance: 5~10 meters
- 360° panoramic monitoring, 360° panoramic cruise
- One key WiFi connection, two way audio
- Four kinds of storage: PC, mobile phone, TF card, NVR, data security is guaranteed.
- Support 15 preset positions, Motion detection alarm



### F43S

- H.264+ compression format, CMOS 2.0 Megapixel.
- Output 1080P, VGA and QVGA triple stream simultaneously.
- One key WiFi connection.
- The brightness, contrast, saturation and hue can be adjusted.
- Support four users viewing at the same time.
- 4mm lens, 9 LED lights, night vision distance 10 meters.
- Support 128G TF card storage, loop recording.
- Pan 349°, Tilt 84°.
- Support IOS, Android and Windows devices viewing.
- Support motion detection alarm.



**S1**

- H.264 video compression, CMOS 2.0 megapixel
- Support 4 visitors at the same time
- Support 1080P、VGA、QVGA three streams output
- Huawei Hisilicon chip
- Support 128G TF card storage, loop recording , Support cloud storage
- IP67 waterproof, PIR automatically wake up
- Large-capacity lithium battery, solar panels, long-lasting standby
- 4.0mm lens, night vision distance: 5~10 meters
- One key WiFi connection, two way audio
- Support 15 preset positions、Motion detection alarm



SMART  
4.0 megapixel full HD



2K HD  
P/T Indoor IP Camera



**C22Q**

- Huawei Hisilicon processor.
- H.265 video compression 4.0 megapixel HD.
- Main stream: 2560\*1440@15fps.
- Pan: 334° Tilt:110°.
- View angle: 107°diagonal .
- 4 users simultaneously monitoring .
- 4.0mm lens.IR-CUT auto-switch, 6 pcs 850nm SMD IR LEDs, IR distance:10m .
- Support 128G TF card storage, cycle recording .
- Motion detection alarm .
- Support dynamic IP, WiFi, IEEE802.11a/ac/b/g/n .
- Operating Temperature:-10-50°,humidity:<90% .



SMART  
HOME KITS

**Smart Home Kits**

PIR IR RF HD WiFi


PIR Sensor RGB Lamp Smart Host Door Sensor Smart Socket Door Sensor

Box Size : 323x133x207mm  
Weight : 1.2kg

**E27**

- Color conversion,accessories can be customized on the combination
- Remote Control with Smartphone.
- ZigBee/IR/RF.
- Pre-Stored more than 100,000 remote control library.
- H.264 Video Compression, Plug & Play.
- Huawei Hisilicon processor.
- One key WiFi setup
- 1/4 inch CMOS sensor, 1.0 MegaPixel.
- 720P/VGA/QVGA Resolution.
- 4.0mm Lens,12pcs LED Lights,IR distance: 10M.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Support up to 128G TF card,loop recording.
- Support dynamic IP, WiFi,IEEE 802.11 b/g/n.
- Support iOS and Android.

**24**



Box Size : 323x133x207mm  
Weight : 1.2kg




### E38

- Remote Control with Smartphone.
- ZigBee/IR/RF.
- Pre-Stored more than 100,000 remote control library.
- H.264 Video Compression, Plug & Play.
- Huawei Hisilicon processor.
- One key WiFi setup
- 1/4 inch CMOS sensor, 1.0 Megapixel.
- 720P/VGA/QVGA Resolution.
- 4.0mm Lens, 12pcs LED Lights, IR distance: 10M.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Support up to 128G TF card, loop recording.
- Support dynamic IP, WiFi, IEEE 802.11 b/g/n.
- Support iOS and Android.



SMART  
ALARM KITS



### C37-AR (Kits)

- Intelligent dual antenna
- H.264 Video Compression, Plug & Play.
- 1/4 inch CMOS sensor, 1.0 Megapixel.
- 720P/VGA/QVGA Resolution.
- Support RTSP protocol.
- Huawei Hisilicon processor.
- One key WiFi setup
- 4.0mm Lens, 10pcs LED lights, IR distance: 10M.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Built-in speaker and microphone, talkback at anytime anywhere.
- Built-in linkage alarm, can receive wireless sensors' alarm signals..
- Support motion detection alarm.
- Support 4-Channel view on mobile phone APP.
- Support pan/tilt control (pan:355° & tilt:120°) and auto cruise, 15 preset positions.
- Support up to 128G TF card, loop recording.
- Support dynamic IP, WiFi, IEEE 802.11 b/g/n.
- Support iOS and Android.

27


Box Size : 206x140x200mm  
Weight : 0.73kg



## Smart Alarm Camera And Smart Home Detectors

 <p><b>Gas Detector</b> <small>Model:AF143</small> Sense the gas concentration,to prevent gas explosion and poison.</p>	 <p><b>Door Sensor</b> <small>Model:AF117</small> Detect illegal open or movement on door, window, cabinets and drawers.</p>
 <p><b>Smoke Detector</b> <small>Model:AF133</small> When smoke density and lasting time reached the alarm level, buzzer immediately alarm.</p>	 <p><b>Vibration Sensor</b> <small>Model:AF162</small> Vibration detector:apply in ATM,wall,glass, safe to prevent any percussive and destructive behavior.</p>
 <p><b>PIR Sensor</b> <small>Model:AF123</small> Detect human temperature and movement to prevent illegal invasion.</p>	 <p><b>Infrared Curtain Detector</b> <small>Model:AF173</small> Infrared curtain detector will be triggered if the curtain is illegally opened,to prevent the window burglar.</p>
 <p><b>Remote Control</b> <small>Model:AF104</small> One key arming/disarming</p>	





**NVS-K200**

Box Size : 248\*208\*100mm  
 Weight : 1.17kg

- Eye4 OS.
- Super dual-core processor.
- Support TF card.
- Support local 2.5inch hard disk storage, up to 2TB.
- Resolution: 1024\*600.
- Smart cloud management--Eye4 cloud platform.
- 7inch screen, capacitive touch screen,multi-touch.
- 4-channel camera real-view, on smartphone APP.
- Built-in microphone & speaker.
- WiFi 802.11.b/g/n.
- Digital frame, music play etc. entertainment functions.

## NVS Kits K200-C38



Box Size : 304X98X353mm  
Weight : 2.0kg



### C7838WIP(2PCS)

- Unique design from VStarcam.
- H.264 Video Compression, Plug & Play.
- Support RTSP protocol.
- Huawei Hisilicon processor.
- One key WiFi setup
- 1/4 inch CMOS sensor, 1.0 Megapixel.
- 720P/VGA/QVGA Resolution.
- 4.0mm Lens, 12pcs LED Lights, IR distance: 10M.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Built-in speaker and microphone, talkback at anytime anywhere.
- 4-Channel real time view in smartphone APP.
- Support pan/tilt control (pan:355°& tilt:120°).
- Support up to 128G TF card, loop recording.
- Support motion detection alarm, snapshot and video recording.
- Support dynamic IP, WiFi, IEEE 802.11 b/g/n.
- Support iOS and Android.



### NVS-K200(1PCS)

- Eye4 OS.
- Super dual-core processor.
- Support TF card.
- Support local 2.5inch hard disk storage, up to 2TB.
- Resolution: 1024\*600.
- Smart cloud management--Eye4 cloud platform.
- 7inch screen, capacitive touch screen, multi-touch.
- 4-channel camera real-view, on smartphone APP.
- Built-in microphone & speaker.
- WiFi 802.11. b/g/n.
- Digital frame, music play etc. entertainment.



## NVS Kits K200 C16



Box Size : 304X98X353mm  
Weight : 2.8kg



### C7816WIP (2PCS)

- H.264 Video Compression, Plug & Play.
- 1/4 inch CMOS sensor,1.0 Megapixel.
- 720P/VGA/QVGA triple stream.
- Huawei Hisilicon processor.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Support RTSP protocol.
- Support 4-Channel view on mobile phone APP.
- 4.0mm Lens,2pcs LED Array, IR distance:15m.
- Support dynamic IP, WiFi,IEEE 802.11 b/g/n.
- Support up to 128G TF card,loop recording.
- Support motion detection.
- Support iOS and Android.
- IP67 waterproof dustproof.



### NVS-K200 (1PCS)

- Eye4 OS.
- Super dual-core processor.
- Support TFcard.
- Support local 2.5inch hard disk storage, up to 2TB.
- Resolution: 1024\*600.
- Smart cloud management--Eye4 cloud platform.
- 7inch screen, capacitive touch screen,multi-touch.
- 4-channel camera real-view,on smartphone APP.
- Built-in microphone & speaker.
- WiFi 802.11.b/g/n.
- Digital frame, music play. entertainment.

## 4CH/8CH Network Video Recorder



Box Size : 329x250x55mm  
Weight : 0.96kg




**N400(N800)**



**N160**

- Audio and video output simultaneously
- Support alarm log cloud storage, alarm push, SMTP, SSL email notification.
- PnP plug and play, easy to set up
- Support one key add camera
- N400 Support up to 4 channel 720P or 4 channel 1080P real time digital recording
- N800 Support up to 8 channel 720P or 8 channel 1080P real time digital r
- N160 Support up to 16 channel 720P or 16 channel 1080P real time digit
- Support one SATA interface.
- Support HDD S.M.A.R.T technology; intelligently skip the bad sectors of the HDD so the data loss caused by HDD problem would be dramatically reduced.
- Can access globally via browser, Smartphone APP,and PC client.



Box Size : 385x137x289mm  
Weight : 2.3kg



### N400 (1PCS)


- Audio and video output simultaneously
- Support alarm log cloud storage, alarm push, SMTP, SSL email notification.
- PnP plug and play, easy to set up
- Support one key add camera
- Support up to 4 channel 720P or 4 channel 1080P real time digital recording
- Support one SATA interface.
- Support HDD S.M.A.R.T technology; intelligently skip the bad sectors of the HDD so the data loss caused by HDD problem would be dramatically reduced.
- Can access globally via browser, Smartphone APP, and PC client.



### C7815WIP (2PCS)

- H.264 Video Compression, Plug & Play.
- 1/4 inch CMOS sensor, 1.0 Megapixel.
- 720P/VGA/QVGA triple stream.
- Built-in IR-CUT filter, no color cast, better picture quality.
- Support 4-Channel view on mobile phone APP.
- 4.0mm Lens,30pcs LED Lights, IR distance:15M.
- Support motion detection.
- Support dynamic IP, WiFi,IEEE 802.11 b/g/n
- Support up to 128G TF card,loop recording..
- Support iOS and Android.
- IP66 waterproof dustproof.





## NVR Kits N400-C37



### N400 (1PCS)

- Audio and video output simultaneously
- Support alarm log cloud storage, alarm push, SMTP, SSL email notification.
- PnP plug and play, easy to set up
- VGA, HDMI output simultaneously
- Support one key add camera
- Support up to 4 channel 720P or 4 channel 1080P real time digital recording
- Support one SATA interface.
- Support HDD S.M.A.R.T technology; intelligently skip the bad sectors of the HDD so the data loss caused by HDD problem would be dramatically reduced.
- Can access globally via browser, Smartphone APP, and PC client.



### C7837WIP (2PCS)

- H.264 compression format, CMOS 1.0 Megapixel.
- 720P、VGA、QVGA triple stream.
- Support 4-Channel view on mobile phone APP.
- 4.0mm lens, 10 LED lights, 10m night vision.
- Built-in IR-CUT filter, no color cast, better night vision.
- Built-in microphone and speaker, two way audio.
- Support up to 128G TF card storage, loop recording.
- Pan Tilt, P: 355° T: 120°, auto cruise.
- Support up to 15 preset positions, motion detection alarm.
- Support dynamic IP, WiFi, IEEE802.11 b/g/n.
- Support iOS and Android.



Box Size : 385x137x289mm

Weight : 1.3kg



↙ WIFI  
SMART UNIT



### WiFi Lamp WF820

WiFi lamp through Wifi connection to achieve remote control and LAN control the lamp RGBW color change randomly, no matter where and when.

- Mobile phone remote control
- Smart Link quick WiFi config.
- True color light bulb, support 1.6 million colors
- Eye protection
- Low power consumption
- Long-life Span
- WiFi 802.11 2.4G b/g/n.
- Working Voltage: AC100V—240V 50/60Hz
- Power: 6W
- Color Temperature: White color 6500K+RGB
- Bulb Screwing Interface: E27
- Working Environment: Outdoor usage or using in sealed space is prohibited.
- Material: Aluminium alloy + PC



### WiFi Socket WF831

Installed in regular socket to remotely control the socket light, On/off according to schedule.

- Smart Link quick WiFi config.
- Support timed on / off.
- Smartphone and physical remote control.
- WiFi 802.11 2.4G b/g/n.
- Working Voltage: AC110V—240V
- No-load Current: <150MA
- Load Power: <2200W
- Transmission distance: 60M(in open environment)





### WiFi Doorcam C95-TZ

Make Video phone call with visitors, and short time recording, the host can view the visitor information without door open.

- High-performance processor.
- Indoor + Outdoor, 70m RF transmission distance.
- Smart Link quick WiFi config.
- Support simultaneously 4 users view.
- 2.8mm Lens,Wide angle view(120 degree)
- 4pcs SMT lights,IR distance:3M.
- H.264 compression format, 720P HD lens.
- Support up to 128G TF card, loop recording.
- Multi-stream view.
- Two way audio.
- WiFi 802.11 b/g/n.



### WiFi Doorcam D1

No matter where you are, never miss the visitors on your door.

- 2 AAA batteries, can working up to one year
- Smartphone picture push notification
- Snapshot
- Stable WiFi connection
- Picture push notification within 3 seconds(depending on the network environment)
- Visiting records, pictures can be stored on the server
- Infrared night vision
- 3m adhesive installation, no wiring, no screwing, easy to install
- Burglar alarm

# WiFi Doorbell




## PICTURE DOORBELL Low Power Consumption



### D2



- 2 AAA batteries, can work up to one year.
- Smartphone picture push notification.
- Snapshot.
- Stable WiFi connection.
- Picture push notification within 3 seconds (depending on the network environment).
- Visiting records, pictures can be stored on the server.
- Infrared night vision.
- 3M adhesive installation, no wiring, no screwing, easy to install.
- Burglar alarm.
- New model with rain cover.
- Volume and Music type are selectable.
- 80° viewing angle



### DB1



- Huawei Hi3518E V200 smart chip
- Built-in WiFi module, one key wifi connection
- Two 18650 batteries, standby more than eight months
- Sensitive motion detection, speed message push
- Wake up by PIR, button pressing, and mobile phone remotely
- Voice calls, Video intercom, AP hotspots
- Infrared night vision
- Burglar alarm





# Cloud Service

## INTRODUCTION

Cloud storage is a new concept extended and derived from the concept of cloud computing. By means of the functions of cluster applications, grid technologies, and distributed file systems, various kinds of storage devices in the network are collaborated through application software. They work together, providing a system for data storage and business access functions, which will ensure data security and save storage space.

## FEATURE

- No Need to Burn
- No External Hard Drive
- Data Backup
- Easy to Use
- Remote Access
- Multi-platform Control
- Safe and Efficient
- Automatically Recycled

## ADVANTAGE

- Automation and intelligence can be realized, storage resources are integrated and storage space is fully utilized.
- Improved the storage efficiency, solved the waste of storage space through virtualization technology, can automatically re-allocate data, improve the utilization of storage space, besides, it has function of load balancing, fault redundancy.
- Cloud Service can achieve scale effect and elastic extension, reduce operating costs and avoid wasting of resources.



Multi-platform



Multi-user



Resource clouding

# AWARDS

Profession & Quality Make Distinguished Brand



The National High-Tech Enterprise Certificate



Shenzhen High-Tech Enterprise Certificate



Software Registration Certificate



Software Enterprise Certificate



Net Camera Embedded Software Copyright



ActiveX Video Surveillance Platform Software Copyright



Video Surveillance Platform System Software Copyright



Network Camera Over-Voltage Protection Circuit Patent



Multi-Purpose Network Camera Patent



Auto Zooming Network Camera Patent



Auto switch filter patent



Automatic zoom patent



Quality Management System Certificate



RoHS Certificate



FCC Certificate



CE Certificate



