



## Standard High Head Model

Approx Performance Chart at 2800 RPM, 220 & 415 Volts, 50 Hz Supply, S.S. Motor Body & Pump Noryl Bowl Set (Suitable For 100mm Bore Dia) Submersible Pump Sets.



Maxi. Head Per Stage - 25 Feet

AP4H-1				Price ₹ (Without Panel)			Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set Single Phase	Pump Set Three Phase								
AP4H-1057	0.5	7	1.25"	3300/-	11580/-	-	45	37	28	25	20	15	10	0
AP4H-107512	0.75	12	1.25"	4100/-	13300/-	-	21	28	35	39	42	46	49	54
AP4H-1115	1.0	15	1.25"	4580/-	15050/-	15050/-	36	48	60	66	72	78	84	92
AP4H-11522	1.5	22	1.25"	6040/-	17940/-	17940/-	45	60	75	83	90	98	105	115
AP4H-1228	2.0	28	1.25"	7000/-	20840/-	20840/-	66	88	110	121	132	143	154	168
AP4H-1335	3.0	35	1.25"	8930/-	24560/-	24560/-	84	112	140	154	168	182	196	214
AP4H-1440	4.0	40	1.25"	10080/-	26890/-	26890/-	105	140	175	193	210	228	245	268
AP4H-1545	5.0	45	1.25"	10880/-	28860/-	28860/-	120	160	200	220	240	260	280	306
AP4H-1650	6.0	50	1.25"	11670/-	-	32400	135	180	225	247	270	292	315	344
AP4H-17555	7.5	55	1.25"	12940/-	-	36370/-	150	200	250	276	300	326	350	383
							165	222	275	305	334	360	388	421

Total Head in Meters

Maxi. Head Per Stage - 25 Feet

AP4H-2				Price ₹ (Without Panel)			Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set Single Phase	Pump Set Three Phase								
AP4H-2056	0.5	6	1.25"	3200/-	11480/-	-	55	43	38	33	25	20	15	0
AP4H-207510	0.75	10	1.25"	3880/-	13080/-	-	18	24	30	33	36	39	42	46
AP4H-2112	1.0	12	1.25"	4210/-	14680/-	14680/-	30	40	50	55	60	65	70	77
AP4H-21518	1.5	18	1.25"	5230/-	17130/-	17130/-	36	48	60	66	72	78	84	92
AP4H-2225	2.0	25	1.25"	6760/-	20600/-	20600/-	54	72	90	99	108	117	126	138
AP4H-2330	3.0	30	1.25"	8420/-	24050/-	24050/-	75	100	125	138	150	163	175	191
AP4H-2435	4.0	35	1.25"	8930/-	25740/-	25740/-	90	120	150	165	180	195	210	230
AP4H-2540	5.0	40	1.25"	10080/-	28060/-	28060/-	105	140	175	192	210	227	245	268
AP4H-2645	6.0	45	1.25"	11300/-	-	32030/-	120	160	200	220	240	260	280	306
AP4H-27550	7.5	50	1.25"	12140/-	-	35570/-	135	180	225	248	270	292	315	344
							150	200	250	275	300	325	350	383

Total Head in Meters





## Standard High Head Model

Approx Performance Chart at 2800 RPM, 220 & 415 Volts, 50 Hz Supply, S.S. Motor Body & Pump Noryl Bowl Set (Suitable For 100mm Bore Dia) Submersible Pump Sets.



Maxl. Head Per Stage - 25 Feet

AP4H-3				Price ₹ (Without Panel)			Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set Single Phase	Pump Set Three Phase	80	70	57	50	40	30	15	0
AP4H-3055	0.5	5	1.25"	3030/-	11310/-	-	15	20	25	28	30	33	35	38
AP4H-30758	0.75	8	1.25"	3540/-	12740/-	-	24	32	40	44	48	52	56	61
AP4H-3110	1.0	10	1.25"	3880/-	14350/-	14350/-	30	40	50	55	60	65	70	77
AP4H-31515	1.5	15	1.25"	4720/-	16620/-	16620/-	45	60	75	83	90	98	105	115
AP4H-3220	2.0	20	1.25"	5910/-	19750/-	19750/-	60	80	100	110	120	130	140	153
AP4H-3325	3.0	25	1.25"	6760/-	22390/-	22390/-	75	100	125	138	150	163	175	191
AP4H-3430	4.0	30	1.25"	8420/-	25230/-	25230/-	90	120	150	165	180	195	210	230
AP4H-3535	5.0	35	1.25"	9260/-	27240/-	27240/-	105	140	175	192	210	227	245	268
AP4H-3640	6.0	40	1.25"	10460/-	-	31190/-	120	160	200	220	240	260	280	306
AP4H-37545	7.5	45	1.25"	11300/-	-	34730/-	135	180	225	248	270	292	315	344

Total Head in Meters

Maxl. Head Per Stage - 25 Feet

AP4H-4				Price ₹ (Without Panel)			Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set Single Phase	Pump Set Three Phase	95	85	75	65	58	50	35	0
AP4H-40756	0.75	6	1.5"	3200/-	12400/-	-	18	24	30	33	36	39	42	46
AP4H-418	1.0	8	1.5"	3540/-	14010/-	14010/-	24	32	40	44	48	52	56	61
AP4H-41512	1.5	12	1.5"	4210/-	16110/-	16110/-	36	48	60	66	72	78	84	92
AP4H-4215	2.0	15	1.5"	4720/-	18560/-	18560/-	45	60	75	83	90	98	105	115
AP4H-4320	3.0	20	1.5"	5910/-	21540/-	21540/-	60	80	100	110	120	130	140	153
AP4H-4425	4.0	25	1.5"	6750/-	23560/-	23560/-	75	100	125	137	150	162	175	191
AP4H-4530	5.0	30	1.5"	8420/-	26400/-	26400/-	90	120	150	165	180	195	210	230
AP4H-4635	6.0	35	1.5"	8920/-	-	29650/-	105	140	175	192	210	227	245	268
AP4H-47540	7.5	40	1.5"	10460/-	-	33890/-	120	160	200	220	240	260	280	306

Total Head in Meters





## Standard High Head Model

Approx Performance Chart at 2800 RPM, 220 & 415 Volts, 50 Hz Supply, S.S. Motor Body & Pump Noryl Bowl Set (Suitable For 100mm Bore Dia) Submersible Pump Sets.



Maxi. Head Per Stage - 25 Feet

AP4H-5				Price ₹ (Without Panel)			Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set Single Phase	Pump Set Three Phase	125	110	90	80	70	55	45	0
AP4H-50755	0.75	5	1.5"	3130/-	12330/-	-	15	20	25	28	30	33	35	38
AP4H-516	1.0	6	1.5"	3320/-	13790/-	13790/-	18	24	30	33	36	39	42	46
AP4H-51510	1.5	10	1.5"	4080/-	15980/-	15980/-	20	40	50	55	60	65	70	77
AP4H-5212	2.0	12	1.5"	4450/-	18290/-	18290/-	36	48	60	66	72	78	84	92
AP4H-5317	3.0	17	1.5"	5390/-	21020/-	21020/-	51	68	85	94	102	111	119	130
AP4H-5420	4.0	20	1.5"	6310/-	23120/-	23120/-	60	80	100	110	120	130	140	153
AP4H-5525	5.0	25	1.5"	7250/-	25230/-	25230/-	75	100	125	137	150	162	175	191
AP4H-5630	6.0	30	1.5"	8670/-	-	29400/-	90	120	150	165	180	195	210	230
AP4H-57535	7.5	35	1.5"	9960/-	-	33390/-	105	140	175	192	210	227	245	268

Maxi. Head Per Stage - 25 Feet

AP4H-7				Price ₹ (Without Panel)			Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set Single Phase	Pump Set Three Phase	150	130	115	100	90	80	60	0
AP4H-715	1.0	5	2"	3130/-	13600/-	13600/-	15	20	25	28	30	33	35	38
AP4H-7158	1.5	8	2"	3700/-	15600/-	15600/-	24	32	40	44	48	52	56	61
AP4H-7210	2.0	10	2"	4080/-	17920/-	17920/-	30	40	50	55	60	65	70	77
AP4H-7315	3.0	15	2"	5020/-	20650/-	20650/-	45	60	75	83	90	98	105	115
AP4H-7417	4.0	17	2"	5400/-	22210/-	22210/-	51	68	85	93	102	110	119	130
AP4H-7520	5.0	20	2"	6310/-	24290/-	24290/-	60	80	100	110	120	130	140	153
AP4H-7625	6.0	25	2"	7720/-	-	28450/-	75	100	125	137	150	162	175	191
AP4H-77530	7.5	30	2"	8670/-	-	32100/-	90	120	150	165	180	195	210	230

Maxi. Head Per Stage - 25 Feet

AP4H-11				Price ₹ (Without Panel)			Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set Single Phase	Pump Set Three Phase	225	205	185	165	145	125	105	0
AP4H-11156	1.5	6	2"	3950/-	15850/-	15850/-	12	15	18	21	24	27	30	37
AP4H-1128	2.0	8	2"	4540/-	18380/-	18380/-	16	20	24	28	32	36	40	49
AP4H-11312	3.0	12	2"	5710/-	21340/-	21340/-	24	30	36	42	48	54	60	73
AP4H-11415	4.0	15	2"	6600/-	23410/-	23410/-	30	38	45	53	60	68	75	92
AP4H-11517	5.0	17	2"	7530/-	25510/-	25510/-	34	42	51	60	68	76	85	104
AP4H-11621	6.0	21	2"	8700/-	-	29430/-	63	84	105	115	126	136	147	128
AP4H-117525	7.5	25	2"	10340/-	-	33770/-	75	100	125	137	150	150	175	153





## Standard High Head Model

Approx Performance Chart at 2800 RPM, 220 & 415 Volts, 50 Hz Supply, S.S. Motor Body & Pump Noryl Bowl Set (Suitable For 100mm Bore Dia) Submersible Pump Sets.



Maxl. Head Per Stage - 25 Feet

AP4H-18				Price ₹ (Without Panel)			Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set Single Phase	Pump Set Three Phase	400	360	310	255	205	150	110	0
AP4H-1827	2.0	7	2"	5550/-	19390/-	19390/-	14	18	21	25	28	32	35	39
AP4H-1839	3.0	9	2"	6510/-	22140/-	22140/-	18	23	27	32	36	41	45	50
AP4H-18411	4.0	11	2"	7470/-	24280/-	24280/-	22	28	33	39	44	50	55	61
AP4H-18514	5.0	14	2"	9730/-	27710/-	27710/-	28	35	42	49	56	63	70	77
AP4H-18616	6.0	16	2"	10690/-	-	31420/-	32	40	48	56	64	72	80	88
AP4H-187518	7.5	18	2"	11650/-	-	35080/-	36	45	54	63	72	81	90	99

Maxl. Head Per Stage - 25 Feet

AP4H-20				Price ₹ (Without Panel)			Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set Single Phase	Pump Set Three Phase	450	400	370	300	240	180	150	0
AP4H-2025	2.0	5	2"	4590/-	18430/-	18430/-	10	13	15	18	20	23	25	29
AP4H-2037	3.0	7	2"	5550/-	21180/-	21180/-	14	18	21	25	28	32	35	41
AP4H-2049	4.0	9	2"	6510/-	23320/-	23320/-	18	23	27	32	36	41	45	52
AP4H-20511	5.0	11	2"	7470/-	25450/-	25450/-	22	28	33	39	44	50	55	64
AP4H-20614	6.0	14	2"	9730/-	-	30460/-	28	35	42	49	56	63	70	77
AP4H-207516	7.5	16	2"	10690/-	-	34120/-	32	40	48	56	64	72	80	88

Price For Only Motor					
H.P.	0.5	0.75	1.0	1.5	2.0
Price ₹	8720/-	9700/-	11033/-	12540/-	14580/-
H.P.	3.0	4.0	5.0	6.0	7.5
Price ₹	16470/-	17710/-	18945/-	21840/-	24680/-

