



Approx Performance Chart at 2800 RPM, 415 Volts, 50 Hz Supply,
S.S. Motor Body & S.S. 304 Bowl & S.S. 410 Impeller,
(Suitable For 140mm Bore Dia) Submersible Pump Sets.



Maxi. Head Per Stage - 42 Feet

AP6SL-30				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	150	135	120	100	85	65	45	0
AP6SL-30310	3.0	10	2"	15460/-	34950/-	50	70	80	90	100	110	120	128
AP6SL-30413	4.0	13	2"	18890/-	41000/-	65	91	104	117	130	143	156	166
AP6SL-30516	5.0	16	2"	22310/-	45870/-	80	112	128	144	160	176	192	205
AP6SL-30620	6.0	20	2"	26880/-	52580/-	100	140	160	180	200	220	240	256
AP6SL-307525	7.5	25	2"	32600/-	60950/-	125	175	200	225	250	275	300	320
AP6SL-301033	10.0	33	2"	41740/-	73660/-	165	231	264	297	330	363	396	423

Maxi. Head Per Stage - 42 Feet

AP6SL-40				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	180	155	145	130	115	95	60	0
AP6SL-4037	3.0	7	2"	12030/-	31520/-	35	49	56	63	70	77	84	90
AP6SL-40410	4.0	10	2"	15460/-	37570/-	50	70	80	90	100	110	120	128
AP6SL-40512	5.0	12	2"	17740/-	41300/-	60	84	96	108	120	132	144	155
AP6SL-40615	6.0	15	2"	21170/-	46870/-	75	105	120	135	150	165	180	192
AP6SL-407519	7.5	19	2"	25740/-	54090/-	95	133	152	171	190	209	228	243
AP6SL-401025	10.0	25	2"	32600/-	64520/-	125	175	200	225	250	275	300	320
AP6SL-4012531	12.5	31	2"	39450/-	75830/-	155	217	248	279	310	341	372	397

Maxi. Head Per Stage - 45 Feet

AP6SL-50				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	220	195	180	165	145	125	95	0
AP6SL-5036	3.0	6	2"	11290/-	30780/-	30	42	48	54	60	66	72	82
AP6SL-5048	4.0	8	2"	13710/-	35820/-	40	56	64	72	80	88	96	110
AP6SL-50510	5.0	10	2"	16130/-	39690/-	50	70	80	90	100	110	120	128
AP6SL-50612	6.0	12	2"	18550/-	44250/-	60	84	96	108	120	132	144	165
AP6SL-507515	7.5	15	2"	22180/-	50530/-	75	105	120	135	150	165	180	206
AP6SL-501020	10.0	20	2"	28230/-	60150/-	100	140	160	180	200	220	240	274
AP6SL-5012525	12.5	25	2"	34270/-	70650/-	125	175	200	225	250	275	300	342
AP6SL-501530	15.0	30	2"	40320/-	81440/-	150	210	240	270	300	330	360	412





Approx Performance Chart at 2800 RPM, 415 Volts, 50 Hz Supply,
S.S. Motor Body & S.S. 304 Bowl & S.S. 410 Impeller,
(Suitable For 140mm Bore Dia) Submersible Pump Sets.



Maxi. Head Per Stage - 45 Feet

AP6SL-60				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	245	220	205	190	175	150	120	0
AP6SL-6035	3.0	5	2"	10080/-	29570/-	25	35	40	45	50	55	60	69
AP6SL-6046	4.0	6	2"	11290/-	33400/-	30	42	48	54	60	66	72	82
AP6SL-6058	5.0	8	2"	13710/-	37270/-	40	56	64	72	80	88	96	110
AP6SL-60610	6.0	10	2"	16130/-	41830/-	50	70	80	90	100	110	120	137
AP6SL-607512	7.5	12	2"	18550/-	46900/-	60	84	96	108	120	132	144	165
AP6SL-601016	10.0	16	2"	23390/-	55310/-	80	112	128	144	160	176	192	220
AP6SL-6012520	12.5	20	2"	28230/-	64610/-	100	140	160	180	200	220	240	274
AP6SL-601525	15.0	25	2"	34270/-	75390/-	125	175	200	225	250	275	300	343

Total Head in Meters

Maxi. Head Per Stage - 45 Feet

AP6SL-80				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	335	310	285	265	255	215	175	0
AP6SL-8034	3.0	4	2"	9090/-	28580/-	20	28	32	36	40	44	48	55
AP6SL-8045	4.0	5	2"	10350/-	32460/-	25	35	40	45	50	55	60	69
AP6SL-8056	5.0	6	2"	11610/-	35170/-	30	42	48	54	60	66	72	82
AP6SL-8068	6.0	8	2"	14140/-	39840/-	40	56	64	72	80	88	96	110
AP6SL-807510	7.5	10	2"	16670/-	45020/-	50	70	80	90	100	110	120	137
AP6SL-801012	10.0	12	2"	19190/-	51110/-	60	84	96	108	120	132	144	165
AP6SL-8012515	12.5	15	2"	22980/-	59360/-	75	105	120	135	150	165	180	206
AP6SL-801518	15.0	18	2"	26770/-	67890/-	90	126	144	162	180	198	216	247

Total Head in Meters

Maxi. Head Per Stage - 45 Feet

AP6SL-100				Price ₹		Discharge In L.P.M.							
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	390	360	340	320	300	265	225	0
AP6SL-10033	3.0	3	2.5"	7820/-	27310/-	15	21	24	27	30	33	36	41
AP6SL-10044	4.0	4	2.5"	9090/-	31200/-	20	28	32	36	40	44	48	55
AP6SL-10055	5.0	5	2.5"	10350/-	33910/-	25	35	40	45	50	55	60	69
AP6SL-10066	6.0	6	2.5"	11610/-	37310/-	30	42	48	54	60	66	72	82
AP6SL-100758	7.5	8	2.5"	14140/-	42490/-	40	56	64	72	80	88	96	110
AP6SL-1001010	10.0	10	2.5"	16670/-	48590/-	50	70	80	90	100	110	120	137
AP6SL-10012513	12.5	13	2.5"	20450/-	56830/-	65	91	104	117	130	143	156	178
AP6SL-1001515	15.0	15	2.5"	22980/-	64100/-	75	105	120	135	150	165	180	206

Total Head in Meters





Approx Performance Chart at 2800 RPM, 415 Volts, 50 Hz Supply,
S.S. Motor Body & S.S. 304 Bowl & S.S. 410 Impeller,
(Suitable For 140mm Bore Dia) Submersible Pump Sets.



Max. Head Per Stage - 45 Feet

AP6SL-125				Price ₹		Discharge In L.P.M.								
Model No.	H.P.	STG.	Outlet	Only Pump	Pump Set	Total Head in Meters	535	485	455	415	370	315	260	0
AP6SL-12543	4.0	3	2.5"	7980/-	30090/-		15	21	24	27	30	33	36	41
AP6SL-12554	5.0	4	2.5"	9300/-	32860/-		20	28	32	36	40	44	48	55
AP6SL-12565	6.0	5	2.5"	10620/-	36320/-		25	35	40	45	50	55	60	69
AP6SL-125756	7.5	6	2.5"	11940/-	40290/-		30	42	48	54	60	66	72	82
AP6SL-125108	10.0	8	2.5"	14570/-	46490/-		40	56	64	72	80	88	96	110
AP6SL-12512510	12.5	10	2.5"	17200/-	53580/-		50	70	80	90	100	110	120	137
AP6SL-1251512	15.0	12	2.5"	19840/-	60960/-		60	84	96	108	120	132	144	165

Price For Only Motor				
H.P.	3.0	4.0	5.0	6.0
Price ₹	20240/-	22960/-	24470/-	26690/-
H.P.	7.5	10.0	12.5	15.0
Price ₹	29440/-	33150/-	37780/-	42700/-

Price For V-6 Slim S.S. Bowl Set					
Model No.	30 No.	40 No.	50 No.	60 No.	80 No.
Price For S.S. 304 Bowl	770/-	770/-	810/-	810/-	880/-
Price For S.S. 410 Impeller	310/-	310/-	340/-	340/-	350/-
Model No.	100 No.	125 No.	Suction	NRV-2"	NRV-2.5"
Price For S.S. 304 Bowl	880/-	910/-	940/-	840/-	840/-
Price For S.S. 410 Impeller	350/-	350/-			

