

VORTEX MIXER VARIABLE SPEED





Address: 16/2 |Ground Floor| Ashok Nagar|New Delhi-110018

Office: - +91-11-79613060

Mob: - 7974292130



STANDARD FEATURES

- Variable speed selection delivers upto 2500 RPM
- 3 way switch (Touch, Continuous & Stand-by mode)
- Brushless DC motor fitted with ball bearing
- Orbital diameter of 4 mm
- Visual indication marker for max speed with attachment
- IP 21 class protection suitable for use in hoods

SPECIFICATIONS

Specifications	IG-VMS
Max Speed	2500 RPM
Orbital diameter	4 mm
Motor type	Brushless DC
Max Load Capacity	200 gm
Speed accuracy	± 5%
Different modes Touch, Stand-by &	Touch, Stand-by & Continuous mode
Continuous mode	
Dimensions	127 x 130 x 160 mm
Power Supply	220 - 240VAC, 50Hz
Ambient temperature	5 to 40 ⁰ C
Weight	3.5 kg
Inclusions	Universal Adaptor
Optional Attachments (not included)	Universal platform for attaching either microplate or microtube or flask Attachments

Address: 16/2 |Ground Floor| Ashok Nagar| New Delhi-110018|

Office: -1011-79613060





OPTIONAL ACCESSORIES



52

Address: 16/2 |Ground Floor| Ashok Nagar| New Delhi-110018| Office: -|011-79613060

