



iGENE LABSERVE

Innovative • Interactive • Intuitive

Analytical Weighing Balance



Address: 2/280 |1stFloor|Back Side|
Subhash Nagar|New Delhi-110027|
Office:- 011-45002642|
Email: info@igenels.com|
igenelabsolve@gmail.com



IGENE LABSERVE


Innovative • Interactive • Intuitive

Standard Features:

- ❖ High contrast, Large Backlit LCD Display for easy viewing with (Advance Eye protection)
- ❖ Based on EMFC Brilliant MONOLOG single block technology
- ❖ Strong anti-shaking software for accurate result in normal vibration surface
- ❖ Standard RS 232 C interface USB port, easy to connect with PC / Printer
- ❖ Single touch key Fully Auto External / internal calibration
- ❖ Overload protection design.
- ❖ Mass unit conversion by toggling
- ❖ Conforms GLP / GMP and ISO 9001 Standard.
- ❖ 20 standard global weighing units
- ❖ User selectable stability and filter level.
- ❖ Easy operating system.
- ❖ Below weighing system provided.
- ❖ Auto Density determination facility
- ❖ GSM weighing facility
- ❖ High grade chemical resistance body



Weighing



Percent setup



Parts counting



Checkweighing



Animal weighing



Caps lock of max indication



Density determination

Address: 2/280 |1stFloor|Back Side|
Subhash Nagar|New Delhi-110027|
Office:- 011-45002642|
Email: info@igenels.com|igenelabsolve@gmail.com



iGENE LABSERVE

Innovative • Interactive • Intuitive

SPECIFICATIONS

MODEL	IG-204AS	IG-104AS	IG-220AS	IG-285AS	IG-265AS	IG-65AS
CAPACITY	220g	120g	220g	80/220g	60/220g	60g
READABILITY	0.0001g	0.0001g	0.0001g	0.01/0.1mg	0.01/0.1mg	0.01mg
PAN SIZE	90 mm Φ	90 mm Φ	90 mm Φ	90 mm Φ	90 mm Φ	90 mm Φ
DISPLAY	Backlit LCD Display	Backlit LCD Display	Backlit LCD Display	Backlit LCD Display	Backlit LCD Display	Backlit LCD Display
CALIBRATION	Auto External	Auto External	Auto Internal	Auto Internal	Auto Internal	Auto Internal

Address: 2/280 |1stFloor|Back Side|
Subhash Nagar|New Delhi-110027|
Office:- 011-45002642|
Email: info@igenels.com|igenelabsolve@gmail.com

