


ARCHITECTURAL

FLAT BARS

FLAT BAR




SL NO.	SECTION NO.	A	T	WT.RANGE KGS/12'	SL NO.	SECTION NO.	A	T	WT.RANGE KGS/12'
1	FTB 1021	19.0	3.00	0.560	31				
2	FTB 1024	20.0	3.00	0.585	32				
3	FTB 1028	25.0	3.00	0.735	33				
4	FTB 1031	25.0	10.00	2.465	34				
5	FTB 1032	25.0	12.00	2.960	35				
6	FTB 1037	30.0	10.00	2.960	36				
7	FTB 1038	30.0	12.00	3.550	37				
8	FTB 1045	40.0	3.00	1.180	38				
9	FTB 1046	40.0	6.00	2.365	39				
10	FTB 1047	40.0	10.00	3.950	40				
11	FTB 1048	40.0	12.00	5.920	41				
12	FTB 1050	50.0	6.00	2.960	42				
13	FTB 1051	50.0	10.00	4.935	43				
14	FTB 1052	50.0	12.00	5.925	44				
15	FTB 1055	75.0	6.00	4.440	45				
16	FTB 1056	75.0	10.00	7.405	46				
17	FTB 1057	75.0	12.00	8.890	47				
18	FTB 1059	80.0	6.00	4.740	48				
19	FTB 1060	80.0	10.00	7.900	49				
20	FTB 1061	80.0	12.00	9.480	50				
21	FTB 1063	100.0	6.00	5.925	51				
22	FTB 1064	100.0	10.00	9.880	52				
23	FTB 1065	100.0	12.00	11.850	53				
24	FTB 1068	120.0	10.00	11.855	54				
25	FTB 1069	120.0	12.00	14.225	55				
26	FTB 1072	125.0	10.00	12.350	56				
27	FTB 1073	125.0	12.00	14.820	57				
28	FTB 1074	150.0	10.00	24.700	58				
29	FTB 1076	150.0	12.00	17.780	59				
30					60				

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM


ARCHITECTURAL




SL NO.	SECTION NO.	Ø	WT. RANGE KGS/12'
1	ROB 1101		
2	ROB 1102		
3	ROB 1103		
4	ROB 1104		
5	ROB 1105		
6	ROB 1106		
7	ROB 1107		
8	ROB 1108		
9	ROB 1109		
10	ROB 1110		
11	ROB 1111		
12	ROB 1112		
13	ROB 1113		
14	ROB 1114		
15	ROB 1115		
16	ROB 1116		
17	ROB 1117		
18	ROB 1118		
19	ROB 1119		
20	ROB 1120		
21	ROB 1121		
22	ROB 1122		
23	ROB 1123		
24	ROB 1124		
25	ROB 1125		
26	ROB 1126		
27	ROB 1127		
28	ROB 1128		
29	ROB 1129		
30	ROB 1130		

SELECTIONS NOT TO BE SCALED

ROUND, HEX & SQUARE BARS




SL NO.	SECTION NO.	A	WT. RANGE KGS/12'
1	SQB 1201		
2	SQB 1202		
3	SQB 1203		
4	SQB 1204		
5	SQB 1205		
6	SQB 1206		
7	SQB 1207		
8	SQB 1208		
9	SQB 1209		
10	SQB 1210		
11			
12			



SL NO.	SECTION NO.	A	WT. RANGE KGS/12'
1	HEX 1251		
2	HEX 1252		
3	HEX 1253		
4	HEX 1254		
5	HEX 1255		
6	HEX 1256		
7	HEX 1257		
8	HEX 1258		
9	HEX 1259		
10	HEX 1260		
11			
12			

ALL DIMENSIONS ARE IN MM


ARCHITECTURAL



SL NO.	SECTION NO.	Ø	T	WT.RANGE
1	PRT 1303	11.00	0.80	0.250-0.300/12'
2	PRT 1304	15.85	0.90	0.400-0.500/12'
3	PRT 1305	15.85	1.10	0.500-0.600/12'
4	PRT 1306	16.00	0.90	0.400-0.450/12'
5	PRT 1307	16.00	1.00	0.450-0.500/12'
6	PRT 1308	16.00	1.10	0.500-0.550/12'
7	PRT 1309	16.00	1.20	0.550-0.600/12'
8	PRT 1310	18.00	0.75	0.350-0.450/12'
9	PRT 1311	18.00	0.93	0.450-0.550/12'
10	PRT 1312	18.00	1.10	0.550-0.650/12'
11	PRT 1313	18.00	1.19	0.650-0.750/12'
12	PRT 1314	18.00	1.28	0.750-0.850/12'
13	PRT 1315	19.00	1.10	0.600-0.700/12'
14	PRT 1316	22.00	1.10	0.700-0.800/12'
15	PRT 1317	24.00	0.50	0.350-0.450/12'
16	PRT 1318	24.00	0.65	0.450-0.550/12'
17	PRT 1319	24.00	0.80	0.550-0.650/12'
18	PRT 1320	24.00	0.95	0.650-0.750/12'
19	PRT 1321	24.00	1.10	0.750-0.850/12'
20	PRT 1322	25.40	0.75	0.550-0.650/12'
21	PRT 1323	29.00	0.50	0.550-0.650/15'
22	PRT 1324	29.00	0.60	0.650-0.750/15'
23	PRT 1325	29.00	0.70	0.750-0.850/15'
24	PRT 1326	29.00	0.80	0.850-0.950/15'
25	PRT 1327	37.70	6.35	6.150-6.250/12'
26	PRT 1328	38.00	1.80	2.000-2.500/12'
27	PRT 1329	41.70	2.35	2.800-3.000/12'
28	PRT 1330	60.00	1.00	1.800-2.000/12'
29				
30				

SELECTIONS NOT TO BE SCALED

PLAIN, FLUTED ROUND TUBES




SL NO.	SECTION NO.	Ø	T	WT.RANGE
1	FRT 1331	60.00	10.00	15.550-15.600/12'
2	FRT 1332	89.00	6.50	16.650-16.750/12'
3	FRT 1333	101.00	6.00	17.700-17.800/12'
4	FRT 1334	127.00	3.00	11.550-11.650/12'
5	FRT 1403	18.00	0.70	0.450-0.550/12'
6	FRT 1404	18.00	0.85	0.550-0.650/12'
7	FRT 1405	24.00	0.40	0.400-0.500/12'
8	FRT 1406	24.00	0.52	0.500-0.600/12'
9	FRT 1407	24.00	0.67	0.600-0.700/12'
10	FRT 1408	24.00	0.82	0.700-0.800/12'
11	FRT 1409	24.00	0.97	0.800-0.900/12'
12	FRT 1410	24.00	1.13	0.900-1.000/12'
13	FRT 1411	24.00	1.30	1.000-1.100/12'
14	FRT 1412	24.00	1.45	1.100-1.200/12'
15	FRT 1413	24.00	1.60	1.200-1.300/12'
16	FRT 1414	28.00	0.30	0.550-0.650/15'
17	FRT 1415	28.00	0.40	0.650-0.750/15'
18	FRT 1416	28.00	0.50	0.750-0.850/15'
19	FRT 1417	28.00	0.60	0.850-0.950/15'
20	FRT 1418	28.00	0.70	0.950-1.050/15'
21	FRT 1419	28.00	0.80	1.050-1.150/15'
22	FRT 1420	28.00	0.90	1.150-1.250/15'
23	FRT 1421	28.00	1.00	1.250-1.350/15'
24	FRT 1422	28.00	1.10	1.350-1.450/15'
25	FRT 1423	28.00	1.20	1.450-1.550/15'
26	FRT 1424	28.00	1.30	1.550-1.650/15'
27	FRT 1425			
28	FRT 1426			
29				
30				

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

SQUARE TUBES

SQUARE TUBES




SL NO.	SECTION NO.	A	T	WT. RANGE KGS/12'	SL NO.	SECTION NO.	A	T	WT. RANGE KGS/12'
1	SQT 1504	19.00	0.90	0.600-0.700	31	SQT 1543	50.00	1.31	2.500-2.600
2	SQT 1505	19.00	1.01	0.700-0.800	32	SQT 1544	50.00	1.37	2.600-2.700
3	SQT 1506	19.00	1.15	0.800-0.900	33	SQT 1545	50.00	1.42	2.700-2.800
4	SQT 1507	19.00	1.31	0.900-1.000	34	SQT 1546	50.00	1.48	2.800-2.900
5	SQT 1508	19.00	1.47	1.000-1.200	35	SQT 1547	50.00	1.53	2.900-3.000
6	SQT 1509	22.00	0.60	0.500-0.600	36	SQT 1548	50.00	1.58	3.000-3.200
7	SQT 1510	22.00	0.70	0.600-0.700	37	SQT 1549	50.00	1.69	3.200-3.400
8	SQT 1511	22.00	0.80	0.700-0.800	38	SQT 1550	50.00	1.81	3.400-3.600
9	SQT 1512	22.00	0.90	0.800-0.900	39	SQT 1551	50.00	1.91	3.600-3.800
10	SQT 1513	24.00	0.60	0.500-0.600	40	SQT 1552	50.00	2.00	3.800-4.000
11	SQT 1514	24.00	0.70	0.600-0.700	41	SQT 1553	50.00	2.15	4.000-4.200
12	SQT 1515	24.00	0.80	0.700-0.800	42	SQT 1554	50.00	2.25	4.200-4.400
13	SQT 1516	24.00	0.90	0.800-0.900	43	SQT 1555	50.00	2.35	4.400-4.600
14	SQT 1517	24.00	1.00	0.900-1.000	44	SQT 1556	50.00	2.50	4.800-5.000
15	SQT 1518	24.00	1.12	1.000-1.100	45	SQT 1557	50.00	2.80	5.500-5.700
16	SQT 1519	24.00	1.25	1.100-1.200	46	SQT 1558	50.00	3.00	5.800-6.000
17	SQT 1529	25.00	1.54	1.400-1.500	47				
18	SQT 1530	25.00	1.66	1.500-2.000	48				
19	SQT 1531	38.00	0.96	1.400-1.500	49				
20	SQT 1532	38.00	1.03	1.500-1.600	50				
21	SQT 1533	38.00	1.10	1.600-1.700	51				
22	SQT 1534	38.00	1.17	1.700-1.800	52				
23	SQT 1535	38.00	1.25	1.800-1.900	53				
24	SQT 1536	38.00	1.32	1.900-2.000	54				
25	SQT 1537	38.00	1.40	2.000-2.200	55				
26	SQT 1538	38.00	1.50	2.100-2.200	56				
27	SQT 1539	50.00	1.10	2.200-2.500	57				
28	SQT 1540	50.00	1.15	2.100-2.200	58				
29	SQT 1541	50.00	1.20	2.200-2.300	59				
30	SQT 1542	50.00	1.25	2.400-2.500	60				


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL




SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1603	36.0	24.0	0.71	0.800-0.900
2	RET 1604	36.0	24.0	0.81	0.900-1.000
3	RET 1605	36.0	24.0	0.89	1.000-1.100
4	RET 1606	36.0	24.0	0.98	1.100-1.200
5	RET 1621	38.1	25.4	0.83	1.000-1.100
6	RET 1622	38.1	25.4	0.92	1.100-1.200
7	RET 1623	38.1	25.4	1.00	1.200-1.300
8	RET 1625	38.1	25.4	1.17	1.400-1.500
9	RET 1626	38.1	25.4	1.26	1.500-1.600
10	RET 1627	38.1	25.4	1.34	1.600-1.700
11	RET 1628	38.1	25.4	1.43	1.700-1.800
12	RET 1629	38.1	25.4	1.52	1.800-1.900
13	RET 1630	38.1	25.4	1.61	1.900-2.000
14	RET 1631	38.1	25.4	1.70	2.000-2.100



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1631	50.0	38.0	1.20	2.000-2.200
2	RET 1632	50.0	38.0	1.40	2.400-2.600
3	RET 1633	50.0	38.0	1.80	3.000-3.200
4	RET 1634	50.0	38.0	1.60	2.600-2.800

SELECTIONS NOT TO BE SCALED


RECTANGULAR TUBES



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1651	48.0	24.0	0.58	0.800-0.900
2	RET 1652	48.0	24.0	0.67	0.900-1.000
3	RET 1653	48.0	24.0	0.75	1.000-1.100
4	RET 1654	48.0	24.0	0.81	1.100-1.200
5	RET 1655	48.0	24.0	0.89	1.200-1.300
6	RET 1654	48.0	24.0	0.81	1.100-1.200
7	RET 1666	50.8	25.4	0.73	1.000-1.100
8	RET 1667	50.8	25.4	0.79	1.100-1.200
9	RET 1668	50.8	25.4	0.85	1.200-1.300
10	RET 1669	50.8	25.4	0.91	1.300-1.400
11	RET 1670	50.8	25.4	0.98	1.400-1.500
12	RET 1671	50.8	25.4	1.05	1.500-1.600
13	RET 1672	50.8	25.4	1.12	1.600-1.700
14	RET 1673	50.8	25.4	1.19	1.700-1.800
15	RET 1674	50.8	25.4	1.26	1.800-1.900
16	RET 1675	50.8	25.4	1.33	1.900-2.000
17	RET 1676	50.8	25.4	1.41	2.000-2.100
18	RET 1677	50.8	25.4	1.48	2.100-2.200
19	RET 1678	50.8	25.4	1.55	2.200-2.300
20	RET 1678	50.8	25.4	1.63	2.300-2.400
21	RET 1679	50.8	25.4	1.70	2.400-2.500
22	RET 1680	50.8	25.4	1.77	2.500-2.600
23	RET 1681	50.8	25.4	1.85	2.600-2.700
24	RET 1682	50.8	25.4	1.92	2.700-2.800
25	RET 1684	50.8	25.4	2.00	2.800-2.900
26	RET 1685	50.8	25.4	2.07	2.900-3.000
27	RET 1686	50.8	25.4	2.15	3.000-3.100
28					
29					
30					

ALL DIMENSIONS ARE IN MM


ARCHITECTURAL



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1701	62.0	24.0	0.74	1.200-1.300
2	RET 1702	62.0	24.0	0.80	1.300-1.400
3	RET 1703	62.0	24.0	0.86	1.400-1.500
4	RET 1704	62.0	24.0	0.92	1.500-1.600
5	RET 1705	62.0	24.0	0.98	1.600-1.700
6	RET 1706	62.0	24.0	1.04	1.700-1.800
7	RET 1707	62.0	24.0	1.10	1.800-1.900
8	RET 1708	62.0	24.0	1.16	1.900-2.000
9	RET 1709	62.0	24.0	1.22	2.000-2.100
10	RET 1710	62.0	24.0	1.28	2.100-2.200
11	RET 1711	62.0	24.0	1.35	2.200-2.300
12	RET 1712	62.0	24.0	1.41	2.300-2.400
13	RET 1713	62.0	24.0	1.48	2.400-2.500
14	RET 1714	62.0	24.0	1.54	2.500-2.600
15	RET 1715	62.0	24.0	1.61	2.600-2.700
16	RET 1716	62.0	24.0	1.70	2.700-2.800
17	RET 1717	62.0	24.0	1.78	2.800-2.900
18	RET 1718	62.0	24.0	1.84	2.900-3.000
19	RET 1719	62.0	24.0	1.95	3.000-3.100
20	RET 1720	63.0	25.0	0.80	1.300-1.400
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					

SELECTIONS NOT TO BE SCALED


RECTANGULAR TUBES



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1731	72.0	24.0	0.72	1.300-1.400
2	RET 1732	72.0	24.0	0.72	1.400-1.500
3	RET 1733	72.0	24.0	0.72	1.500-1.600
4	RET 1734	72.0	24.0	0.72	1.600-1.700
5	RET 1735	72.0	24.0	0.72	1.700-1.800
6	RET 1736	72.0	24.0	0.72	1.800-1.900
7	RET 1737	72.0	24.0	0.72	1.900-2.000
8	RET 1738	72.0	24.0	0.72	2.000-2.100
9	RET 1739	72.0	24.0	0.72	2.100-2.200
10	RET 1740	72.0	24.0	0.72	2.200-2.300
11	RET 1741	72.0	24.0	0.72	2.300-2.400
12	RET 1742	72.0	24.0	0.72	2.400-2.500
13	RET 1743	72.0	24.0	0.72	2.500-2.600
14	RET 1744	72.0	24.0	0.72	2.600-2.700
15	RET 1745	72.0	24.0	0.72	2.700-2.800
16	RET 1746	72.0	24.0	0.72	2.800-2.900
17	RET 1747	72.0	24.0	0.72	2.900-3.000
18	RET 1748	72.0	24.0	0.72	3.000-3.100
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					


ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

RECTANGULAR TUBE					
					
SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1761	63.5	38.1	0.68	1.300-1.400
2	RET 1762	63.5	38.1	0.73	1.400-1.500
3	RET 1763	63.5	38.1	0.78	1.500-1.600
4	RET 1764	63.5	38.1	0.83	1.600-1.700
5	RET 1765	63.5	38.1	0.88	1.700-1.800
6	RET 1766	63.5	38.1	0.93	1.800-1.900
7	RET 1767	63.5	38.1	0.98	1.900-2.000
8	RET 1768	63.5	38.1	1.03	2.000-2.100
9	RET 1769	63.5	38.1	1.08	2.100-2.200
10	RET 1770	63.5	38.1	1.14	2.200-2.300
11	RET 1771	63.5	38.1	1.19	2.300-2.400
12	RET 1772	63.5	38.1	1.24	2.400-2.500
13	RET 1773	63.5	38.1	1.30	2.500-2.600
14	RET 1774	63.5	38.1	1.35	2.600-2.700
15	RET 1775	63.5	38.1	1.40	2.700-2.800
16	RET 1776	63.5	38.1	1.45	2.800-2.900
17	RET 1777	63.5	38.1	1.50	2.900-3.000
18	RET 1778	63.5	38.1	1.55	3.000-3.100
19	RET 1779	63.5	38.1	1.60	3.100-3.200
20	RET 1780	63.5	38.1	1.66	3.200-3.300
21	RET 1781	63.5	38.1	1.72	3.300-3.400
22	RET 1782	63.5	38.1	1.78	3.400-3.500
23	RET 1783	63.5	38.1	1.83	3.500-3.600
24	RET 1784	63.5	38.1	1.88	3.600-3.700
25	RET 1785	63.5	38.1	1.93	3.700-3.800
26	RET 1786	63.5	38.1	1.98	3.800-3.900
27	RET 1787	63.5	38.1	2.05	3.900-4.000
28					
29					
30					


SELECTIONS NOT TO BE SCALED

RECTANGULAR TUBES

RECTANGULAR TUBE					
					
SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1801	80.0	38.0	0.84	1.900-2.000
2	RET 1802	80.0	38.0	0.88	2.000-2.100
3	RET 1803	80.0	38.0	0.93	2.100-2.200
4	RET 1804	80.0	38.0	0.98	2.200-2.300
5	RET 1805	80.0	38.0	1.02	2.300-2.400
6	RET 1806	80.0	38.0	1.06	2.400-2.500
7	RET 1807	80.0	38.0	1.10	2.500-2.600
8	RET 1808	80.0	38.0	1.15	2.600-2.700
9	RET 1809	80.0	38.0	1.19	2.700-2.800
10	RET 1810	80.0	38.0	1.24	2.800-2.900
11	RET 1811	80.0	38.0	1.28	2.900-3.000
12	RET 1812	80.0	38.0	1.33	3.000-3.100
13	RET 1813	80.0	38.0	1.37	3.100-3.200
14	RET 1814	80.0	38.0	1.42	3.200-3.300
15	RET 1815	80.0	38.0	1.49	3.300-3.400
16	RET 1816	80.0	38.0	1.51	3.400-3.500
17	RET 1817	80.0	38.0	1.55	3.500-3.600
18	RET 1818	80.0	38.0	1.60	3.600-3.700
19	RET 1819	80.0	38.0	1.65	3.700-3.800
20	RET 1820	80.0	38.0	1.67	3.800-3.900
21	RET 1821	81.0	38.0	1.00	2.300-2.400
22					
23					
24					
25					
26					
27					
28					
29					
30					

ALL DIMENSIONS ARE IN MM


ARCHITECTURAL



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1841	95.0	24.0	0.79	1.800-1.900
2	RET 1842	95.0	24.0	0.83	1.900-2.000
3	RET 1843	95.0	24.0	0.88	2.000-2.100
4	RET 1844	95.0	24.0	0.92	2.100-2.200
5	RET 1845	95.0	24.0	0.96	2.200-2.300
6	RET 1846	95.0	24.0	1.01	2.300-2.400
7	RET 1847	95.0	24.0	1.05	2.400-2.500
8	RET 1848	95.0	24.0	1.10	2.500-2.600
9	RET 1849	95.0	24.0	1.14	2.600-2.700
10	RET 1850	95.0	24.0	1.18	2.700-2.800
11	RET 1851	95.0	24.0	1.23	2.800-2.900
12	RET 1852	95.0	24.0	1.27	2.900-3.000
13	RET 1853	95.0	24.0	1.32	3.000-3.100
14	RET 1854	95.0	24.0	1.36	3.100-3.200
15	RET 1855	95.0	24.0	1.41	3.200-3.300
16	RET 1856	95.0	24.0	1.45	3.300-3.400
17	RET 1857	95.0	24.0	1.50	3.400-3.500
18	RET 1858	95.0	24.0	1.54	3.500-3.600
19	RET 1859	95.0	24.0	1.58	3.600-3.700
20	RET 1860	95.0	24.0	1.63	3.700-3.800
21	RET 1861	95.0	24.0	1.67	3.800-3.900
22	RET 1862	95.0	24.0	1.75	3.900-4.000
23					
24					
25					
26					
27					
28					
29					
30					

SELECTIONS NOT TO BE SCALED

RECTANGULAR TUBES




SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1876	100.0	38.0	1.14	3.000-3.100
2	RET 1876	100.0	38.0	1.17	3.100-3.200
3	RET 1876	100.0	38.0	1.20	3.200-3.300
4	RET 1876	100.0	38.0	1.24	3.300-3.400
5	RET 1876	100.0	38.0	1.28	3.400-3.500
6	RET 1876	100.0	38.0	1.32	3.500-3.600
7	RET 1876	100.0	38.0	1.36	3.600-3.700
8	RET 1876	100.0	38.0	1.39	3.700-3.800
9	RET 1876	100.0	38.0	1.43	3.800-3.900
10	RET 1876	100.0	38.0	1.47	3.900-4.000
11	RET 1876	100.0	38.0	1.51	4.000-4.100
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

RECTANGULAR TUBES



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'	SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	RET 1941	125	24	0.97	2.800-2.900	31					
2	RET 1942	125	24	1.01	2.900-3.000	32					
3	RET 1943	125	24	1.04	3.000-3.100	33					
4	RET 1944	125	24	1.08	3.100-3.200	34					
5	RET 1945	125	24	1.11	3.200-3.300	35					
6	RET 1946	125	24	1.15	3.300-3.400	36					
7	RET 1947	125	24	1.18	3.400-3.500	37					
8	RET 1948	125	24	1.22	3.500-3.600	38					
9	RET 1949	125	24	1.25	3.600-3.700	39					
10	RET 1950	125	24	1.29	3.700-3.800	40					
11	RET 1951	125	24	1.32	3.800-3.900	41					
12	RET 1952	125	24	1.36	3.900-4.000	42					
13	RET 1953	125	24	1.39	4.000-4.100	43					
14						44					
15						45					
16						46					
17						47					
18						48					
19						49					
20						50					
21						51					
22						52					
23						53					
24						54					
25						55					
26						56					
27						57					
28						58					
29						59					
30						60					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


SINGLE GLASS CHANNEL

SINGLE GLASS CHANNEL



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'	SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	SGC 2009	9.50	9.50	0.59	0.150-0.200	11					
2	SGC 2009	9.50	9.50	0.80	0.200-0.250	12					
3	SGC 2009	9.50	9.50	1.00	0.250-0.300	13					
4	SGC 2009	9.50	9.50	1.21	0.300-0.350	14					
5	SGC 2009	12.0	12.0	0.65	0.200-0.250	15					
6	SGC 2009	12.0	12.0	0.77	0.250-0.300	16					
7	SGC 2009	12.0	12.0	0.94	0.300-0.350	17					
8						18					
9						19					
10						20					

DOUBLE GLASS CHANNEL



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'	SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	DGC 2135	22	11	0.49	0.250-0.300	12					
2	DGC 2135	22	11	0.59	0.300-0.350	13					
3	DGC 2135	22	11	0.69	0.350-0.400	14					
4						15					
5						16					
6						17					
7						18					
8						19					
9						20					
10						21					
11						22					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


EQUAL/UNEQUAL ANGLE

EQUAL ANGLE



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'	SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	EAL 2207	18.0	18.0	1.00	0.500-0.550	11					
2	EAL 2234	25.0	25.0	1.19	0.550-0.600	12					
3	EAL 2207	25.0	25.0	1.34	0.600-0.650	13					
4	EAL 2207	25.0	25.0	1.47	0.650-0.700	14					
5						15					
6						16					
7						17					
8						18					
9						19					
10						20					

UNEQUAL ANGLE



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'	SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	UAL 2305	38.0	25.0	1.35	0.800-0.900	12					
2	UAL 2306	38.0	25.0	2.00	1.200-1.300	13					
3	UAL 2307	38.0	25.0	2.20	1.300-1.400	14					
4	UAL 2308	38.00	38.00	4.00	3.200-3.400	15					
5	UAL 2309	50.00	38.00	4.00	3.400-4.600	16					
6	UAL 2310	50.00	50.00	6.00	6.000-6.200	17					
7						18					
8						19					
9						20					
10						21					
11						22					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

EQUAL/UNEQUAL BULB TEE


EQUAL BULB TEE



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	ETE 2503	25.4	25.4	0.55	0.250-0.350
2	ETE 2504	25.4	25.4	0.65	0.350-0.450
3	ETE 2505	25.4	25.4	0.85	0.450-0.550
4					
5					
6					
7					
8					
9					
10					

SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					

UNEQUAL BULB TEE



SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
1	UTE 2601	38.1	25.4	0.90	0.600-0.650
2	UTE 2602	38.1	25.4	1.00	0.650-0.700
3	UTE 2603	38.1	25.4	1.10	0.700-0.750
4	UTE 2604	38.1	25.4	1.20	0.750-0.800
5					
6					
7					
8					
9					
10					
11					

SL NO.	SECTION NO.	A	B	T	WT.RANGE KGS/12'
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

SLIDING WINDOW


2 TRACK TOP



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
1	2 TT 2801	61.85	31.75	0.60	1.200-1.400
2	3 TT 2802	61.85	31.75	0.70	1.400-1.600
3	3 TT 2803	61.85	31.75	0.80	1.600-1.800
4	3 TT 2804	61.85	31.75	0.90	1.800-2.000
5	3 TT 2805	61.85	31.75	1.00	2.000-2.200
6	3 TT 2806	61.85	31.75	1.10	2.200-2.400
7	3 TT 2807	61.85	31.75	1.20	2.400-2.600
8	3 TT 2808	61.85	31.75	1.30	2.600-2.800
9					
10					

SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					

2 TRACK BOTTOM



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
1	2 TB 2901	61.85	31.75	0.60	1.400-1.600
2	2 TB 2902	61.85	31.75	0.70	1.600-1.800
3	2 TB 2903	61.85	31.75	0.80	1.800-2.000
4	2 TB 2904	61.85	31.75	0.90	2.000-2.200
5	2 TB 2905	61.85	31.75	1.00	2.200-2.400
6	2 TB 2906	61.85	31.75	1.10	2.400-2.600
7	2 TB 2907	61.85	31.75	1.20	2.600-2.800
8	2 TB 2908	61.85	31.75	1.30	2.800-3.000
9	2 TB 2909	61.85	31.75	1.42	3.000-3.200
10	2 TB 2910	61.85	31.75	1.52	3.200-3.400

SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

SLIDING WINDOW


1" 2 TRACK TOP



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
1	1"2 TT 2821	75	24.4	1.20	2.000-2.200
2	1"2 TT 2822	75	24.4	1.35	2.200-2.400
3	1"2 TT 2823	75	24.4	1.40	2.400-2.600
4	1"2 TT 2824	75	24.4	1.51	2.600-2.800
5					
6					
7					
8					
9					
10					

SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					

1" 2 TRACK BOTTOM



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
1	1"2 TB 2921	75	24.4	1.10	2.200-2.400
2	1"2 TB 2922	75	24.4	1.35	2.400-2.600
3	1"2 TB 2923	75	24.4	1.36	2.600-2.800
4	1"2 TB 2924	75	24.4	1.46	2.800-3.000
5					
6					
7					
8					
9					
10					

SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

SLIDING WINDOW


3 TRACK TOP



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
1	3 TT 3001	92.0	31.75	0.67	1.800-2.000
2	3 TT 3002	92.0	31.75	0.73	2.000-2.200
3	3 TT 3003	92.0	31.75	0.80	2.200-2.400
4	3 TT 3004	92.0	31.75	0.88	2.400-2.600
5	3 TT 3005	92.0	31.75	0.95	2.600-2.800
6	3 TT 3006	92.0	31.75	1.03	2.800-3.000
7	3 TT 3007	92.0	31.75	1.12	3.000-3.200
8	3 TT 3008	92.0	31.75	1.20	3.200-3.400
9	3 TT 3009	92.0	31.75	1.28	3.400-3.600
10	3 TT 3010	92.0	31.75	1.36	3.600-3.800

SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
11	3 TT 3011	92.0	31.75	1.43	3.800-4.000
12	3 TT 3012	92.0	31.75	1.50	4.000-4.200
13					
14					
15					
16					
17					
18					
19					
20					

3 TRACK BOTTOM



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
1	3 TB 3101	92.0	31.75	0.60	2.000-2.200
2	3 TB 3102	92.0	31.75	0.67	2.200-2.400
3	3 TB 3103	92.0	31.75	0.73	2.400-2.600
4	3 TB 3104	92.0	31.75	0.80	2.600-2.800
5	3 TB 3105	92.0	31.75	0.88	2.800-3.000
6	3 TB 3106	92.0	31.75	0.95	3.000-3.200
7	3 TB 3107	92.0	31.75	1.03	3.200-3.400
8	3 TB 3108	92.0	31.75	1.10	3.400-3.600
9	3 TB 3109	92.0	31.75	1.16	3.600-3.800
10	3 TB 3110	92.0	31.75	1.24	3.800-4.000

SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
11	3 TB 3111	92.0	31.75	1.32	4.000-4.200
12	3 TB 3112	92.0	31.75	1.40	4.200-4.400
13					
14					
15					
16					
17					
18					
19					
20					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

SLIDING WINDOW


1" 3 TRACK TOP



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
1	1"3 TT 3021	116.0	25.4	1.25	3.200-3.400
2	1"3 TT 3022	116.0	25.4	1.60	4.000-4.200
3					
4					
5					
6					
7					
8					
9					
10					

SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					

1" 3 TRACK BOTTOM



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
1	1"3 TB 3121	116.0	25.0	1.15	3.600-3.800
2	1"3 TB 3122	116.0	25.0	1.35	4.400-4.600
3					
4					
5					
6					
7					
8					
9					
10					

SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


SLIDING WINDOW

4 TRACK TOP



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	4 TT 3201	122.2	31.5	0.88	3.200-3.400
2	4 TT 3202	122.2	31.5	0.95	3.400-3.600
3	4 TT 3203	122.2	31.5	1.03	3.600-3.800
4	4 TT 3204	122.2	31.5	1.10	3.800-4.000
5	4 TT 3205	122.2	31.5	1.13	4.000-4.200
6					
7					
8					
9					
10					

4 TRACK BOTTOM



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	4 TB 3301	122.2	31.5	0.85	3.600-3.800
2	4 TB 3302	122.2	31.5	0.90	3.800-4.000
3	4 TB 3303	122.2	31.5	0.95	4.000-4.200
4	4 TB 3304	122.2	31.5	1.01	4.200-4.400
5	4 TB 3305	122.2	31.5	1.08	4.400-4.600
6	4 TB 3306	122.2	31.5	1.15	4.600-4.800
7	4 TB 3307	122.2	31.5	1.21	4.800-5.000
8					
9					
10					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


SLIDING WINDOW

5 TRACK TOP



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	5 TT 3401	150.0	31.0	0.87	4.000-4.500
2	5 TT 3402	150.0	31.0	0.95	4.500-5.000
3	5 TT 3403	150.0	31.0	1.05	5.000-5.500
4	5 TT 3404	150.0	31.0	1.16	5.500-6.000
5	5 TT 3405	150.0	31.0	1.28	6.000-6.500
6					
7					
8					
9					
10					

5 TRACK BOTTOM



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	5 TB 3501	150.0	31.0	0.85	4.500-5.000
2	5 TB 3502	150.0	31.0	0.93	5.000-5.500
3	5 TB 3503	150.0	31.0	1.00	5.500-6.000
4	5 TB 3504	150.0	31.0	1.12	6.000-6.500
5	5 TB 3505	150.0	31.0	1.22	6.500-7.000
6					
7					
8					
9					
10					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


SLIDING WINDOW

3/4" INTER LOCK



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	INT 3601	40.0	18.0	0.70	1.100-1.200
2	INT 3602	40.0	18.0	0.77	1.200-1.400
3	INT 3603	40.0	18.0	0.91	1.400-1.600
4	INT 3604	40.0	18.0	1.06	1.600-1.800
5	INT 3605	40.0	18.0	1.20	1.800-2.000
6	INT 3606	40.0	18.0	1.32	2.000-2.200
7	INT 3607	40.0	18.0	1.45	2.200-2.400
8					
9					
10					

1" INTER LOCK



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	INT 3653	50.0	25.4	0.90	1.800-2.000
2	INT 3654	50.0	25.4	1.00	2.000-2.200
3	INT 3655	50.0	25.4	1.10	2.200-2.400
4	INT 3656	50.0	25.4	1.20	2.400-2.600
5	INT 3657	50.0	25.4	1.30	2.600-2.800
6	INT 3658	50.0	25.4	1.40	2.800-3.000
7	INT 3659	50.0	25.4	1.50	3.000-3.200
8	INT 3660	50.0	25.4	1.60	3.200-3.400
9					
10					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


SLIDING WINDOW

3/4" HANDLE



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	HAL 3701	40.0	18.0	0.62	0.800-1.000
2	HAL 3702	40.0	18.0	0.75	1.000-1.200
3	HAL 3703	40.0	18.0	0.90	1.200-1.400
4	HAL 3704	40.0	18.0	1.05	1.400-1.600
5	HAL 3705	40.0	18.0	1.20	1.600-1.800
6	HAL 3706	40.0	18.0	1.37	1.800-2.000
7	HAL 3707	40.0	18.0	1.50	2.000-2.200
8					
9					
10					

1" HANDLE



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	HAL 3751	50.0	25.0	0.78	1.400-1.600
2	HAL 3752	50.0	25.0	0.93	1.600-1.800
3	HAL 3753	50.0	25.0	1.08	1.800-2.000
4	HAL 3754	50.0	25.0	1.23	2.000-2.200
5	HAL 3755	50.0	25.0	1.38	2.200-2.400
6	HAL 3756	50.0	25.0	1.53	2.400-2.600
7	HAL 3757	50.0	25.0	1.68	2.600-2.800
8	HAL 3758	50.0	25.0	1.83	2.800-3.000
9					
10					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


SLIDING WINDOW

3/4" BEARING BOTTOM



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	BIB3801	51.5	18.0	0.95	1.200-1.300
2	BIB3802	51.5	18.0	1.00	1.400-1.500
3	BIB3803	51.5	18.0	1.10	1.500-1.600
4	BIB3804	51.5	18.0	1.25	1.600-1.700
5	BIB3805	51.5	18.0	1.40	1.800-1.900
6	BIB3806	51.5	18.0	1.60	2.000-2.100
7					
8					
9					
10					

1" BEARING BOTTOM



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	BIB3851	60.0	25.0	1.20	2.000-2.200
2	BIB3852	60.0	25.0	1.40	2.200-2.400
3	BIB3853	60.0	25.0	1.60	2.400-2.600
4	BIB3854	60.0	25.0	1.80	2.600-2.800
5	BIB3855	60.0	25.0	2.00	2.800-3.000
6	BIB3856	60.0	25.0	2.20	3.000-3.200
7					
8					
9					
10					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


SLIDING WINDOW

3/4" MATTING



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	MAT 3901	40.0	18.0	0.70	1.000-1.200
2	MAT 3902	40.0	18.0	0.85	1.200-1.400
3	MAT 3903	40.0	18.0	1.00	1.400-1.600
4	MAT 3904	40.0	18.0	1.15	1.600-1.800
5	MAT 3905	40.0	18.0	1.30	1.800-2.000
6	MAT 3906	40.0	18.0	1.45	2.200-2.400
7					
8					
9					
10					

1" MATTING



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	MAT 3951	50.0	25.0	0.72	1.400-1.600
2	MAT 3952	50.0	25.0	0.84	1.600-1.800
3	MAT 3953	50.0	25.0	0.96	1.800-2.000
4	MAT 3954	50.0	25.0	1.08	2.000-2.200
5	MAT 3955	50.0	25.0	1.20	2.200-2.400
6	MAT 3956	50.0	25.0	1.32	2.400-2.600
7	MAT 3957	50.0	25.0	1.44	2.600-2.800
8	MAT 3958	50.0	25.0	1.56	2.800-3.000
9					
10					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

SLIDING WINDOW

TOP BOTTOM



SL NO.	SECTION NO.	A	B	T	KGS/12'
1		40.0	18.0	0.70	0.900-1.000
2		40.0	18.0	0.85	1.000-1.200
3		40.0	18.0	0.90	1.200-1.400
4		40.0	18.0	1.00	1.400-1.600
5		40.0	18.0	1.30	1.600-1.800
6					
7					
8					
9					
10					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


SLIDING WINDOW

SYNTEX A



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	MAT 4001	40.0	23.5	0.70	1.000-1.200
2	MAT 4002	40.0	23.5	0.85	1.200-1.400
3	MAT 4003	40.0	23.5	1.00	1.400-1.600
4	MAT 4004	40.0	23.5	1.15	1.600-1.800
5	MAT 4005	40.0	23.5	1.30	1.800-2.000
6	MAT 4006	40.0	23.5	1.45	2.200-2.400
7					
8					
9					
10					

SYNTEX H



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	MAT 4051	60.0	23.5	0.72	1.400-1.600
2	MAT 4052	60.0	23.5	0.84	1.600-1.800
3	MAT 4053	60.0	23.5	0.96	1.800-2.000
4	MAT 4054	60.0	23.5	1.08	2.000-2.200
5	MAT 4055	60.0	23.5	1.20	2.200-2.400
6	MAT 4056	60.0	23.5	1.32	2.400-2.600
7	MAT 4057	60.0	23.5	1.44	2.600-2.800
8	MAT 4058	60.0	23.5	1.56	2.800-3.000
9					
10					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


L PIPE

1½"x1" L PIPE



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	LPI 4301	37.0	24.30	0.70	0.800-0.900
2	LPI 4302	37.0	24.30	0.80	0.900-1.000
3	LPI 4303	37.0	24.30	0.80	0.900-1.000
4	LPI 4304	37.0	24.30	1.00	1.100-1.200
5	LPI 4307	37.0	24.30	1.24	1.400-1.500
6	LPI 4308	37.0	24.30	1.33	1.500-1.600
7					
8					
9					
10					

2"x1" L PIPE



SL NO.	SECTION NO.	A	B	T	KGS/12'
1	LPI 4321	45.0	24.0	0.66	0.900-1.000
2	LPI 4322	45.0	24.0	0.73	1.000-1.100
3	LPI 4323	45.0	24.0	0.80	1.100-1.200
4	LPI 4324	45.0	24.0	0.88	1.200-1.300
5	LPI 4325	45.0	24.0	0.97	1.300-1.400
6	LPI 4326	45.0	24.0	1.05	1.400-1.500
7	LPI 4327	45.0	24.0	1.12	1.500-1.600
8	LPI 4328	45.0	24.0	1.20	1.600-1.700
9	LPI 4329	45.0	24.0	1.26	1.700-1.800
10	LPI 4330	45.0	24.0	1.34	1.800-1.900


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


GLAZING CLIP & PLATE

GLAZING CLIP



SL NO.	SECTION NO.	T	WT. RANGE KGS/12'	SL NO.	SECTION NO.	T	WT. RANGE KGS/12'
1	GLC 4321	0.50	0.220-0.250	11			
2	GLC 4322	0.58	0.250-0.270	12			
3	GLC 4323	0.65	0.270-0.300	13			
4	GLC 4324	0.73	0.300-0.320	14			
5	GLC 4325	0.78	0.320-0.350	15			
6	GLC 4326	0.88	0.350-0.380	16			
7	GLC 4327	0.92	0.380-0.400	17			
8				18			
9				19			
10				20			

GLAZE PLATE



SL NO.	SECTION NO.	A	T	WT. RANGE KGS/12'	SL NO.	SECTION NO.	A	T	WT. RANGE KGS/12'
1	GPL 4391	44.0	0.36	0.400-0.450	11				
2	GPL 4392	44.0	0.47	0.450-0.500	12				
3	GPL 4393	44.0	0.59	0.500-0.550	13				
4	GPL 4394	44.0	0.71	0.550-0.600	14				
5	GPL 4395	44.0	0.81	0.600-0.650	15				
6	GPL 4396	44.0	0.92	0.650-0.700	16				
7					17				
8					18				
9					19				
10					20				


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


PARTITIONS

SINGLE PARTITION



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'	SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'
1	SPT 4401	50.8	25.4	0.80	1.600-1.800	11	SPT 4418	63.5	38.1	1.47	3.800-4.000
2	SPT 4402	50.8	25.4	0.90	1.800-2.000	12					
3	SPT 4403	50.8	25.4	1.00	2.000-2.200	13					
4	SPT 4411	63.5	38.1	0.85	2.400-2.600	14					
5	SPT 4412	63.5	38.1	1.05	2.600-2.800	15					
6	SPT 4413	63.5	38.1	1.15	2.800-3.000	16					
7	SPT 4414	63.5	38.1	1.22	3.000-3.200	17					
8	SPT 4415	63.5	38.1	1.29	3.200-3.400	18					
9	SPT 4416	63.5	38.1	1.38	3.400-3.600	19					
10	SPT 4417	63.5	38.1	1.47	3.600-3.800	20					

DOUBLE PARTITION



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'	SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'
1	DPT 4501	50.8	25.4	0.66	1.600-1.800	11	DPT 4518	63.5	38.1	1.37	3.800-4.000
2	DPT 4502	50.8	25.4	0.76	1.800-2.000	12					
3	DPT 4503	50.8	25.4	0.87	2.000-2.200	13					
4	DPT 4511	63.5	38.1	0.80	2.400-2.600	14					
5	DPT 4512	63.5	38.1	0.88	2.600-2.800	15					
6	DPT 4513	63.5	38.1	0.96	2.800-3.000	16					
7	DPT 4514	63.5	38.1	1.04	3.000-3.200	17					
8	DPT 4515	63.5	38.1	1.12	3.200-3.400	18					
9	DPT 4516	63.5	38.1	1.20	3.400-3.600	19					
10	DPT 4517	63.5	38.1	1.28	3.600-3.800	20					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


PARTITIONS & CURTAIN WALL

LEG PARTITION



SL NO.	SECTION NO.	T	WT. RANGE KGS/15'	SL NO.	SECTION NO.	T	WT. RANGE KGS/15'
1	LPAR 4586	1.30	4.000-4.200	11			
2	LPAR 4587	1.36	4.200-4.400	12			
3	LPAR 4588	1.43	4.400-4.600	13			
4				14			
5				15			
6				16			
7				17			
8				18			
9				19			
10				20			

12MM GLASS SECTION



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'	SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'
1	12GS 4692	88.0	40.0	1.90	8.000-8.500	11					
2	12GS 4693	88.0	40.0	2.05	8.500-9.000	12					
3	12GS 4694	88.0	40.0	2.20	9.000-9.500	13					
4	12GS 4695	88.0	40.0	2.35	9.500-10.000	14					
5	12GS 4696	88.0	40.0	2.60	10.000-10.500	15					
6	12GS 4697	88.0	40.0	3.00	10.600-11.000	16					
7						17					
8						18					
9						19					
10						20					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


DOORS

47MM DOOR MIDDLE SINGLE



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'	SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'
1	DMS 4801	47.5	44.45	1.15	2.800-3.000	11					
2	DMS 4802	47.5	44.45	1.25	3.000-3.200	12					
3	DMS 4803	47.5	44.45	1.35	3.200-3.400	13					
4	DMS 4804	47.5	44.45	1.45	3.400-3.600	14					
5	DMS 4805	47.5	44.45	1.55	3.600-3.800	15					
6						16					
7						17					
8						18					
9						19					
10						20					

47MM DOOR MIDDLE DOUBLE



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'	SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'
1	DMD 4901	47.5	44.45	1.03	2.800-3.000	11					
2	DMD 4902	47.5	44.45	1.13	3.000-3.200	12					
3	DMD 4903	47.5	44.45	1.23	3.200-3.400	13					
4	DMD 4904	47.5	44.45	1.33	3.400-3.600	14					
5	DMD 4905	47.5	44.45	1.43	3.600-3.800	15					
6						16					
7						17					
8						18					
9						19					
10						20					


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


DOORS

47MM DOOR TOP



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'	SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'
1	DTO 5001	47.5	44.45	1.15	2.800-3.000	11					
2	DTO 5002	47.5	44.45	1.27	3.000-3.200	12					
3	DTO 5003	47.5	44.45	1.34	3.200-3.400	13					
4	DTO 5004	47.5	44.45	1.44	3.400-3.600	14					
5	DTO 5005	47.5	44.45	1.54	3.600-3.800	15					
6						16					
7						17					
8						18					
9						19					
10						20					

DOOR BOTTOM



SL NO.	SECTION NO.	A	B	C	T	WT. RANGE KGS/15'	SL NO.	SECTION NO.	A	B	C	T	WT. RANGE KGS/15'
1	DBO 5071	83.5	44.45	10.0	1.48	4.800-5.000	11						
2	DBO 5072	83.5	44.45	10.0	1.56	5.000-5.200	12						
3	DBO 5073	83.5	44.45	10.0	1.62	5.200-5.400	13						
4	DBO 5074	83.5	44.45	10.0	1.68	5.400-5.600	14						
5							15						
6							16						
7							17						
8							18						
9							19						
10							20						


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

DOORS


DOOR BOTTOM



SL NO.	SECTION NO.	A	B	C	T	WT. RANGE KGS/15'
1	DBO 5171	114.0	44.45	10.0	1.18	4.800-5.000
2	DBO 5172	114.0	44.45	10.0	1.24	5.000-5.200
3	DBO 5173	114.0	44.45	10.0	1.29	5.200-5.400
4	DBO 5174	114.0	44.45	10.0	1.34	5.400-5.600
5						
6						
7						
8						
9						
10						

SL NO.	SECTION NO.	A	B	C	T	WT. RANGE KGS/15'
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

47MM DOOR VERTICAL




SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'
1	DVT 5201	47.5	44.45	1.06	2.800-3.000
2	DVT 5202	47.5	44.45	1.16	3.000-3.200
3	DVT 5203	47.5	44.45	1.25	3.200-3.400
4	DVT 5205	47.5	44.45	1.35	3.400-3.600
5	DVT 5205	47.5	44.45	1.44	3.600-3.800
6	DVT 5206	47.5	44.45	1.54	3.800-4.000
7					
8					
9					
10					


SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/15'
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					

SELECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN MM



SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	HL KA001	39.00	20.00	0.90	1.00




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	IL KA002	39.00	22.00	0.80	1.20




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	TB KA003	43.50	20.00	0.80	1.00

SELECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN MM



SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	KA004				1.40




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	KA005				1.80




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	KA006				2.40

SELECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN MM



SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	KA007				2.70




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	BP 5305	100.00	44.00	1.20	3.800




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	SP 5306	100.00	44.00	1.20	3.600

SELECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN MM



SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	RT 5307	100.00	44.00	1.30	3.400




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	AP 007				1.420-1.600




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	F 008	25.0	12.2	0.5	0.600

SELECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN MM



SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	P 01				




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	GP 020				0.400




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	G 010				2.000

SELECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN MM



SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	P 002				




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	DMC01				1.40




SL NO.	SECTION NO.	A	B	T	WT. RANGE
1	3T B-HOLLOW				

SELECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN MM



SECTION : DUMAL - 1
WT. KG./12" : 3.000-3.400




SECTION : DUMAL - 2




DUMAL - 3
SECTION RLC 003
WT. KG./12FT : 2.300-2.600

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM









SECTION : 2T B-HOLLOW



SECTION NO. : FISH MOUTH

ARCHITECTURAL

ELECTRICAL









SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL









SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL




SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL


DIE NO. 23504



SCALE 1 : 1

WT. RANGE X.XXX-X.XXX KG/12'


DIE NO. 23505



SCALE 1 : 1

WT. RANGE 1.945-2.045 KG/12'


DIE NO. 23506



SCALE 1 : 1

WT. RANGE 1.680-1.780 KG/12'


DIE NO. 23507



SCALE 1 : 1

WT. RANGE : 5.330-5.430 KG/12'


DIE NO. 23509



SCALE 1 : 1

WT. 16.93 KG/12'

DIE NO. 23510



SCALE 1 : 1


WT. RANGE : 0.920-1.000 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


DIE NO. 23522



SCALE 1 : 1

WT. RANGE 2.480-2.580 KG./12'


DIE NO. 23529



SCALE 1 : 1

WT. RANGE 0.680-0.750 KG/12'

DIE NO. 23531




SCALE 1 : 1

WT. RANGE 0.245-0.270 KG/12'

ELECTRICAL


DIE NO. 23523



SCALE 1 : 1

WT. RANGE x.xxx-x.xxx KG/12'


DIE NO. 23530



SCALE 1 : 1

WT. RANGE : 0.430-0.470 KG/12'

DIE NO. 23532



SCALE 1 : 1

WT. RANGE : 0.425-0.460 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL


DIE NO. 23533



SCALE 1 : 1

WT. RANGE 0.485-0.520 KG/12'


DIE NO. 23534



SCALE 1 : 1

WT. RANGE 2.740-2.840 KG/12'

DIE NO. 23535



SCALE 1 : 1

WT. RANGE 2.045-2.145 KG/12'


DIE NO. 23536



SCALE 1 : 1

WT. RANGE 0.780-0.860 KG/12'


DIE NO. 23537



SCALE 1 : 1

WT. RANGE 3.980-4.080 KG/12'

DIE NO. 23538



SCALE 1 : 1

WT. RANGE : 3.790-3.890 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

DIE NO. 23539

SCALE 1 : 1

WT. RANGE 1.900-2.000 KG/12'

ELECTRICAL

DIE NO. 23540

SCALE 1 : 1

WT. RANGE 6.120-6.320 KG/12'

DIE NO. 23542

SCALE 1 : 1

WT. RANGE 1.640-1.740 KG/12'

DIE NO. 23543

SCALE 1 : 1

WT. RANGE 4.255-4.355 KG/12'

DIE NO. 23544

SCALE 1 : 1

0.580-0.630

WT. RANGE 0.580-0.630 KG/12'

DIE NO. 23545

SCALE 1 : 1







WT. RANGE : 2.640-2.740 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL









SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL









SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL




SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


DIE NO. 23564



SCALE 1 : 1

WT. RANGE 0.920-1.050 KG/12'


DIE NO. 23566



SCALE 1 : 1

WT. RANGE 6.300-6.600 KG/12'

DIE NO. 23568




SCALE 1 : 1

WT. RANGE 5.000-5.800 KG/12'

ELECTRICAL


DIE NO. 23565



SCALE 1 : 1

WT. RANGE 6.350-6.600 KG/12'


DIE NO. 23567



SCALE 1 : 1

WT. RANGE 13.000-13.600 KG/12'

DIE NO. 23569



SCALE 1 : 1

WT. RANGE 3.500-3.800 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL


DIE NO. 23570



SCALE 1 : 1

WT. RANGE x.xxx-x.xxx KG./12'


DIE NO. 23571



SCALE 1 : 1

WT. RANGE x.xxx-x.xxx KG./12'


DIE NO. 23572



SCALE 1 : 1

WT. RANGE x.xxx-x.xxx KG./12'


DIE NO. 23573



SCALE 1 : 1

WT. RANGE 1.300-1.700 KG/12'


DIE NO. 23574



SCALE 1 : 1

WT. RANGE 1.500-3.100 KG/12'

DIE NO. 24001



SCALE 1 : 1

WT. RANGE 3.890-4.990 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL


DIE NO. 24002



SCALE 1 : 1

WT. RANGE 2.850-3.000 KG./12'


DIE NO. 24003



SCALE 1 : 1

WT. RANGE 7.220-7.320 KG./12'


DIE NO. 24004



SCALE 1 : 1

WT. RANGE 2.850-2.950 KG./MTR


DIE NO. 24005



SCALE 1 : 1

WT. RANGE 2.850-2.950 KG/12'


DIE NO. 24006



SCALE 1 : 1

WT. RANGE 2.890-2.990 KG/12'

DIE NO. 24001



SCALE 1 : 1

WT. RANGE 4.140-4.240 KG/12'


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL


DIE NO. 24008



SCALE 1 : 1

WT. RANGE x.xxx-x.xxx KG./12'

DIE NO. 24009



SCALE 1 : 1

WT. RANGE 0.550 KG./MTR.


DIE NO. 24010



SCALE 1 : 1

WT. RANGE 1.320 KG./MTR


DIE NO. 24011



SCALE 1 : 1

WT. 0.764 KG/MTR


DIE NO. 24012



SCALE 1 : 1

WT. 0.860 KG/MTR

DIE NO. 24013



SCALE 1 : 1

WT. 0.337 KG/MTR


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL


DIE NO. 24014



SCALE 1 : 1

WT. 2.360 KG./MTR


DIE NO. 24015



SCALE 1 : 1

WT. RANGE 0.920-1.020 KG./12'


DIE NO. 24016



SCALE 1 : 1

WT. RANGE 0.860-0.960 KG./12'


DIE NO. 24017



SCALE 1 : 1

WT. RANGE 0.950-1.100 KG/12'


DIE NO. 27001



SCALE 1 : 1

WT. 0.860 KG/MTR

DIE NO. 27002



SCALE 1 : 1







WT. RANGE 3.890-3.990 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL




ELECTRICAL






SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL



ELECTRICAL




SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL


DIE NO. 29001



SCALE 1 : 1

WT. RANGE 3.350-3.450 KG./12'

DIE NO. 29002



SCALE 1 : 1

WT. RANGE 3.730-3.830 KG./12'

DIE NO. 32001



SCALE 1 : 1

WT. RANGE 0.550-0.600 KG./12'


DIE NO. 32002



SCALE 1 : 1

WT. RANGE 0.380-0.450 KG./12'


DIE NO. 32003



SCALE 1 : 1

WT. RANGE 0.780-0.850 KG/12'

DIE NO. 32004




SCALE 1 : 1

WT. RANGE 2.330-2.430 KG/12'






SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL



ELECTRICAL









SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


ELECTRICAL








SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL




ELECTRICAL








SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL



ELECTRICAL




SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL


DIE NO. JN 010



SCALE 1 : 1

WT. RANGE 0.565-0.665 KG./12'


DIE NO. JN 012



SCALE 1 : 1

WT. RANGE 5.300-6.000 KG./12'

DIE NO. JN 014




SCALE 1 : 1

WT. RANGE 0.345-0.380 KG/12'

ELECTRICAL


DIE NO. JN 011



SCALE 1 : 1

WT. RANGE 1.080-1.280 KG./12'


DIE NO. JN 013



SCALE 1 : 1

WT. RANGE 0.756-0.800 KG./12'

DIE NO. JN 016



SCALE 1 : 1


WT. RANGE 0.970-1.300 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

DIE NO. JN 017




SCALE 1 : 1

WT. RANGE 0.310-0.350 KG./12'

ELECTRICAL


DIE NO. JN 018



SCALE 1 : 1

WT. RANGE 0.700-0.800 KG./12'


DIE NO. JN 019



SCALE 1 : 1

WT. RANGE 1.400-1.800 KG./12'


DIE NO. JN 020



SCALE 1 : 1

WT. RANGE 1.200-1.550 KG./12'


DIE NO. JN 021



SCALE 1 : 1

WT. RANGE 3.900-4.500 KG./12'

DIE NO. JN 022



SCALE 1 : 1


WT. RANGE 1.120-1.500 KG./12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

DIE NO. JN 023



SCALE 1 : 1

WT. RANGE 0.310-0.350 KG./12'

ELECTRICAL

DIE NO. JN 024



SCALE 1 : 1

WT. RANGE 1.270-1.600 KG./12'


DIE NO. JN 025



SCALE 1 : 1

WT. RANGE 0.850-1.100 KG./12'

DIE NO. JN 026



SCALE 1 : 1

WT. RANGE 2.000-2.450 KG./12'


DIE NO. JN 027



SCALE 1 : 1

WT. RANGE 2.940-3.400 KG./12'

DIE NO. JN 028






SCALE 1 : 1

WT. RANGE 6.700-7.300 KG./12'




SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL



ELECTRICAL




SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL


DIE NO. PD 002



SCALE 1 : 1

WT. RANGE 0.700-0.900 KG./12'


DIE NO. PD 003



SCALE 1 : 1

WT. RANGE 1.550-1.800 KG./12'


DIE NO. PD 004



SCALE 1 : 1

WT. RANGE 5.400-5.700 KG./12'


DIE NO. PD 005



SCALE 1 : 1

WT. RANGE 4.480-5.200 KG./12'


DIE NO. PD 006



SCALE 1 : 1

WT. RANGE 1.960-2.400 KG/12'

DIE NO. PD 007



SCALE 1 : 1

WT. RANGE 1.470-1.800 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL

DIE NO. PD 008

SCALE 1 : 1

WT. RANGE 4.500-5.000 KG./12'

DIE NO. PEC 001

SCALE 1 : 1

WT. RANGE 2.350-3.550 KG./12'

DIE NO. PEC 002

SCALE 1 : 1

WT. RANGE 0.700-0.950 KG./12'

DIE NO. PEC 003

SCALE 1 : 1

WT. RANGE 1.550-1.800 KG./12'

DIE NO. PEC 004

SCALE 1 : 1

WT. RANGE X.XXX-X.XXX KG./12'

DIE NO. PEC 005

SCALE 1 : 1

WT. RANGE 4.480-5.200 KG/12'


SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM

ARCHITECTURAL

ELECTRICAL


DIE NO. PEC 006



SCALE 1 : 1

WT. RANGE 3.800-4.100 KG./12'


DIE NO. PEC 007



SCALE 1 : 1

WT. RANGE 2.850-3.000 KG./12'


DIE NO. PEC 008



SCALE 1 : 1

WT. RANGE 3.480-4.000 KG./12'


DIE NO. PEC 009



SCALE 1 : 1

WT. RANGE 3.900-4.500 KG./12'


DIE NO. SSM 001



SCALE 1 : 1

WT. RANGE 3.050-3.600 KG./12'

DIE NO. SSM 002



SCALE 1 : 1

WT. RANGE 3.00-3.400 KG/12'

SELECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN MM