



G- POS Agile

All in One Point of Sale



www.g-pos.in

Specifications

Windows

Config	CPU	Intel® Celeron® J4125 - 2.0GHz Fanless	Intel 4th/5th U series CPU, I3-5005, I5-5200CPU
	Ram	4Gb DDR4 SO DIMM(Opt 8Gb)	4Gb DDRIII (Opt 8Gb)
	EMMC/SSD	128Gb SSD	128Gb SSD
Screen	Screen Size	15.6"	15.6"
	Interface	EDP	EDP
	Resolution	1366 x 768	1366 x 768
	Brightness	220-250nits (Opt 250 - 300nits)	220-250nits (Opt 250 - 300nits)
Touch screen	Touch Panel	Capacitive , 10 Points, IP54	Capacitive , 10 Points, IP54
OS	Android	Windows 8, 10, Linux	Windows 7, 8,8.1, 10, Linux
Interfaces	RS232	2 , COM2, COM3 Powered	1
	USB	2 x USB 2.0, 2 x USB 3.0 (I/O), 3 x USB 2.0 = 6	2 x USB 2.0, 2 x USB 3.0 (I/O), 3 x USB 2.0 = 6
	HDMI	1	1
	VGA	1	1
	Audio	1	1
	LAN	100M	1000M
	RJ11 Cash Drawer	1	1
	Speakers	1	1
	PCIE / M2	1x M2 (For WIFI OR 4G)	1x PCIE (For WIFI OR 4G)
Adapter	Power Adapter	24V, 5A	24V,5A
	VFD Display	2*20, USB Int, 5V	2*20, USB Int, 5V

Android

Android			
Configuration	CPU	RK3566, Quad-core Cortex-A55, Mali-G52 EE-2.0Ghz	RK3568, Quad-core Cortex-A55, Mali-G52 EE-2.0Ghz
	Ram	2Gb DDR4 Ram (Optional 4Gb)	2Gb Ram DDR4 (Optional 4Gb)
	EMMC/SSD	16Gb EMMC (Optional 32Gb)	16Gb EMMC (Optional 32Gb)
Screen	Screen Size	15.6" HD Display	15.6" HD Display
	Interface	EDP	EDP
	Resolution	1366*768	1366*768
	Brightness	220-250nits	220-250nits
Touch screen	Touch Panel	Projected Capacitive	Projected Capacitive
Difference		Single Display Support	Dual Display Support
Comm.	Wi-Fi	2.4G	2.4G
	Bluetooth	4.0	4.0
OS	Android	Android 11	Android 11
Interfaces	RS232	1	1
	USB	4	4
	TF Card	1	1
	Micro USB	1	1
	HDMI	Optional	1
	Audio	1	1
	LAN	1	1
	RJ11 Cash Drawer	1	1
	Speakers	1	1
Adapter	Power Adapter	24V, 5A	24V, 5A
	Color	Black / White	Black / White
	Box Dimension	51*33.5*46cm	51*33.5*46cm

Optional Accessories (Windows & Android)

Second Display	11.6inch without Touch screen
SIM Card	4G
Wi-Fi (Windows)	M2(J4125), PCIE(I3-5005, I5-5200)
MSR	3 Track, USB
ibutton Reader	Yes
RFID + NFC	HF + NFC
FP Reader	Yes
Battery	18.5V,2600 MAh
Single Screen	2 Hours Battery Back-up
Double Screen	1 Hours Battery Back-up

Printer

Speed	250mm/sec
Interface	USB + RS232
Cutter	Partial Cut
Buzzer	Yes
Paper Size	80mm, 58mm

Marketed By:-
G D INFOTECH
 7B, Nyadar Enclave,
 Vikas Nagar, New Delhi-59

Name of Partner