

MINERAL WATER BOTTLING PLANT CAPACITY OF 2000 LITER PER HOUR

FOR CUSTOMER NAME
CUSTOMER ADDRESS



<u>DESIGNED & MANUFACTURED BY</u> HEALTHY ENVIRO SOLUTIONS PYT. LTD. BHUBANESWAR,ODISHA







Ref: ____/2021-22 Dated: 01/01/2022

QUOTATION

To CUSTOMER NAME ADDRESS MOBILE NO

Sub: Offer for Design, Supply & Installation of 1000/2000LPH, RO with Bottling Plant Turnkey Project with ISI/BIS Licensing Work

Kind Attn. Sir

As per your requirement regarding the above mentioned subject, we are enclosing the offer for design, supply & installation of MWP of 1000LPH capacity for your kind perusal. Hope the above information will serve the purpose and the order is placed to us by your esteemed organization. Should you find any query, please feel free to contact us. The detailed offer is as per attached INDEX and ANNEXURES.

We hope that you will find the above in line with your requirement.

Kindly contact us for any further information / clarification require in this matter. We shall be glad to furnish the same.

Thanking you and anticipating a favorable reply.

Thanking you.

Yours faithfully,

Healthy Enviro Solutions Pvt. Ltd.

Managing Director

Call Now: 09040005060 / 09861336272 E-mail: healthyenvirosolutions@gmail.com

REVERSE OSMOSIS PLANT

What is a Reverse Osmosis System?

RO works by passing water through a semi-permeable membrane that separates the pure water into one stream and the salt water into another stream. The process is called "reverse osmosis" because it requires pressure to force pure water across a membrane, leaving the impurities behind. In most cases, 95% of the minerals, salts and other inorganic dissolved solids, such as metals, fluoride, sodium, and calcium are removed by RO systems



Corp. Office: Plot No-247, Oscar City, LaxmiSagar Canal Road, BBSR – 751006, Khurda, Odisha Branch Office (Delhi): 115/B-64, 2nd Floor, Guru Nanak Pura, Laxmi Nagar, New Delhi – 110092 Branch Office (Kolkata): Flat – 2/3, Block-D, RK Puram, Mission Pally, Sonarpur, Kolkata –700150 E-Mail:info@healthyenvirosolutions.com, Visit us at: www.healthyenvirosolutions.com

• HESPL R.O System

We are one of the top manufacturers of **Reverse Osmosis System** in India. We have our own manufacturing unit where in we use all the parts as per worldwide standards. Our team consists of all highly qualified engineers having rich experience in the field of water treatment. **We are loyal for better quality control.** We select the machinery used for the R.O System very carefully for the best possible performance of the system which also increases the life period of the system.

Treatment Scheme

The scheme below is for your reference which explains you the process of water purification by the Reverse Osmosis System.

- ➤ Dual Media Filter
- ➤ Anthracite Carbon Filter
- > Anti Scaling Dosing System
- ➤ Micro Cartridge Filter
- ➤ 1/2 M³ Desalination Module
- ➤ SS Storage Tank
- ➤ Ozonator
- > UV Sterilization
- ➤ Post Cartridge Filter

Basis of Design

DESIGN BASIS

Inlet Water Characteristics

Sr. No.	PARAMETERS	VALUE
01	Temperature	MAX,40°C
02	Pit	Nil
03	Color	Nil
04	Turbidity	Less than 1 NTU
05	Total Suspended Solids	Nil
06	Total Alkality	200
07	Total Hardness	300
08	Total Dissolved Solids	1000
09.	Heavy Metal ,Fe, Silica	Nil.
10.	Oil & Grease.	Nil.

Treated Water Characteristics

Flow	1000 LPH
PH	7 to 8
Total Dissolved Solids	100 PPM
Total Hardness	Less than 50 PPM

Utilities required (By Client)

Feed Water	1000 LPH
Power	Three Phase
Chemicals	Cleaning and sanitization chemicals for Membrane cleaning

Corp. Office: Plot No-247, Oscar City, LaxmiSagar Canal Road, BBSR – 751006, Khurda, Odisha Branch Office (Delhi): 115/B-64, 2nd Floor, Guru Nanak Pura, Laxmi Nagar, New Delhi – 110092 Branch Office (Kolkata): Flat – 2/3, Block-D, RK Puram, Mission Pally, Sonarpur, Kolkata –700150 E-Mail:info@healthyenvirosolutions.com, Visit us at: www.healthyenvirosolutions.com



TECHNICAL SPECIFICATION

RAW WATER PUMP	SPECIFICATION	
	Quantity	One No.
	Op. Pressure	2.5 – 3.5 kg / cm2
	Make	CRI / Crompton / Kirlosker
	Purpose	Boosting For Raw Water up to Sand Filter

SAND MEDIA FILTER	SPECIFICATION	
A)	Quantity	One No.
file .	Op. Pressure	2.5 – 3 kg / cm2
	MOC of Filter	FRP
+1	Type of Media	Sand , Gravels, etc.
	Backwash Require	Every day when you will go to start the plant.
	Purpose	For removing >50 Micron dusts & other suspended Particles

Corp. Office: Plot No-247, Oscar City, LaxmiSagar Canal Road, BBSR - 751006, Khurda, Odisha Branch Office (Delhi): 115/B-64, 2nd Floor, Guru Nanak Pura, Laxmi Nagar, New Delhi – 110092 Branch Office (Kolkata): Flat – 2/3, Block-D, RK Puram, Mission Pally, Sonarpur, Kolkata –700150 E-Mail:info@healthyenvirosolutions.com, Visit us at: www.healthyenvirosolutions.com



HEALTHY ENVIRO SOLUTIONS PVT LTD MSIC



Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

MICRON CARTIDGE FILTER	SPECIFICATION	
	Quantity	One
1 4 6	MOC of Housing	FRP
	Filter Qty	2Nos
	Size	20" X 4 ''
	Filter Type	Spun / String Wound
/ / / / / / /	Flow	2000 LPH
	Purpose	For Removing >5 Micron Suspended Particles

CARBON MEDIA FILTER	SPECIFICATION	
	Quantity	One No.
	Op. Pressure	2.5 kg/cm2
	Make	FRP
+1111	Type of Media	1100 IV Activated Carbon
	Backwash Require	Every day when you will go to start the plant.
	Purpose	For removing color, odor, chlorine Particles.

Corp. Office: Plot No-247, Oscar City, LaxmiSagar Canal Road, BBSR – 751006, Khurda, Odisha Branch Office (Delhi): 115/B-64, 2nd Floor, Guru Nanak Pura, Laxmi Nagar, New Delhi – 110092 Branch Office (Kolkata): Flat – 2/3, Block-D, RK Puram, Mission Pally, Sonarpur, Kolkata –700150 E-Mail:info@healthyenvirosolutions.com, Visit us at: www.healthyenvirosolutions.com



HEALTHY ENVIRO SOLUTIONS PVT LTD NSIC



Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

ANTISCALENT DOSING PUMP	SPECIFICATION		
	Quantity	One No	
<u>*</u>	Dosing Rate	6 LPH	
() () () () () () () () () () () () () (Туре	I -DOSE	
No.	Chemical	Antiscalant Liquid	
	Dosing Tank	100 LTR White HDPV	
	Purpose	Scaling Resistance for Membrane and increase Membrane Life	
LOW & HIGH PRESSURE SWITCH		SPECIFICATION	
	Quantity	One No.	
6 2	Op. Pressure	0-5 kg/cm2	
	Make	Danfoss	
2-6x	Туре	Inline	
	Function	To maintain pressure reduction	
HIGH PRESSURE PUMP	SPECIFICATION		
(10)	Quantity	One No.	
	Op. Pressure	12 - 15 kg / cm2	
	Make	CRI / Grundfose/CNP	
T .	Туре	Centrifugal / Multistage	
	Function	To lift processed water towards SS tank	

Corp. Office: Plot No-247, Oscar City, LaxmiSagar Canal Road, BBSR - 751006, Khurda, Odisha Branch Office (Delhi): 115/B-64, 2nd Floor, Guru Nanak Pura, Laxmi Nagar, New Delhi – 110092 Branch Office (Kolkata): Flat – 2/3, Block-D, RK Puram, Mission Pally, Sonarpur, Kolkata –700150 E-Mail:info@healthyenvirosolutions.com, Visit us at: www.healthyenvirosolutions.com





Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

R.O Membrane	SPECIFICATION	
	Membrane Qty	1/2Nos
	Make	Hydranautics - USA / Dow
	Membrane Size	8" * 40long
2	RO Pressure Tube	SS
	To remove physical and chemical impurities in terms of total dissolved solids up to 90 to 95%.	

POST M.C.F	SPECIFICATION	
	Quantity	One
	MOC	Stainless Steel 304
00 161 121	Filter Qty	2Nos
84 84 84	Size	20" X 4 ''
	Filter Type	Spun / String Wound

S.S STORAGE TANK	SPECIFICATION	
	Quantity	1 Nos
	Make	HESPL
	Capacity	One is 2000 LTR
	MOC	SS 304
A A	Purpose	One Tank is used for Product water storage & second tank is used for Ozonator.

Corp. Office: Plot No-247, Oscar City, LaxmiSagar Canal Road, BBSR - 751006, Khurda, Odisha Branch Office (Delhi): 115/B-64, 2nd Floor, Guru Nanak Pura, Laxmi Nagar, New Delhi – 110092 Branch Office (Kolkata): Flat – 2/3, Block-D, RK Puram, Mission Pally, Sonarpur, Kolkata –700150 E-Mail:info@healthyenvirosolutions.com, Visit us at: www.healthyenvirosolutions.com



HEALTHY ENVIRO SOLUTIONS PVT LTD MSIC



Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

TRANSFER PUMP	SPECIFICATION	
	Quantity	2Nos
	Make	CRI/CROMPTON/KIRLOSKAR
	Op. Pressure	0.5 – 1.5 kg / cm2
	MOC	SS
	Purpose	One pump is used for forward first tank water to second tank & second pump is used for circling ozone in second tank.
	06	

ULTRA VIOLET SYSTEM	SPECIFICATION			
DO TO Light	Quantity	One No.		
	Op. Flow	1/2 m3 / cm2		
	Make	SWT		
	Туре	Up Flow		
	Function	To deactivate bacteria strength		
411				

OZONATOR SYSTEM	SPECIFICATION			
	Quantity	One No.		
022 E	Op. Flow	1/2 m3 / cm2		
	MOC	SS 304		
- Contraction	Туре	1/2 GRAMS		
	Make	AQUAZONE		
AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUM	Function	To Increase shelf life of treated water by adding ozone		

Corp. Office: Plot No-247, Oscar City, LaxmiSagar Canal Road, BBSR - 751006, Khurda, Odisha Branch Office (Delhi): 115/B-64, 2nd Floor, Guru Nanak Pura, Laxmi Nagar, New Delhi – 110092 Branch Office (Kolkata): Flat - 2/3, Block-D, RK Puram, Mission Pally, Sonarpur, Kolkata -700150 E-Mail:info@healthyenvirosolutions.com, Visit us at: www.healthyenvirosolutions.com



HEALTHY ENVIRO SOLUTIONS PVT LTD NSIC



Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

INSTRUMENTATION	SPECIFICATION				
distan	ONLINE TDS METER				
	Quantity	1 No.			
	Location	RO Product			
8888	Make	Success			
	Purpose	To check TDS in PPM through online digital system.			
		FLOW METER			
	Quantity		2 Nos.		
東川 東川	Туре		on line		
	Location		R.O. Product		
	Material Of Construction		Acrylic		
24, 24, 25, 25	Quantity Location Make Purpose To check TDS in PPM through online digital system FLOW METER Quantity 2 Nos. Type Location RO Product Success Purpose To check TDS in PPM through online digital system Purpose R.O. Product	Success			
		PRESSURE GUAGE			
	Quantity	Quantity 6 No.			
	Mounting	bottom & ba	ck Entry		
80 ENB37-1-100	Туре	Borden type tube			
120	Connection	½" BSPT			
psi bar CL16 IS	Range				
	Make	Success			

HEALTHY ENVIRO SOLUTIONS PVT LTD N5



Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

FULLY AUTOMATIC BOTTLING MACHINE



SPECIFICATION

- Rotary Rinsing, Filling & Earping Machine.
- 2. Model:-HESPL 30.
- 3. Input Air Blower Conveyor 5Ft, Out Put 15 Ft
- Conveyor
- 4. Acrylic Cover with S.S Structure of Section
- 5. Shrink Tunnel Machine.
- 6. CAPPING UNIT SHOULD BE VAIBRETOR
- 7. S.S Inspection Box with Light and Glass
- For Filling: 200, 500, 1000 ML, 2000 ML Pet Bottles



HEALTHY ENVIRO SOLUTIONS PVT LTD



Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

PRICE BREAK UP				
MACHINERIES	QTY.	1000 LPH		
2000 LPH ISI Mineral Water Plant & 1000 SS TANK & PIPE FITTINGS	1	Rs. 4,41,000/-		
Semi-Automatic 24 BPM Mineral Water Bottling Machine including Tunnel and Labeling	1	Rs.5,90,000/-		
Manual Batch Coding Machine	1	Rs. 40,000/-		
Semi automatic shrink machine	SO/1/4	Rs. 2,60,000/-		
ISI Laboratory	1	Rs. 2,90,000/-		
ISI/BIS Licensing	1	Rs.2,80,000/-		
TOTAL	S4.	Rs. 19,01,000/-		

^{*} LPH= Liter Per Hour

* GST 18% and Transportation from Gujurat is in Client Scope.

(If you want to not install any product from above list then you can deduct the exact amount of the product for your proper calculation purpose)

Yours faithfully,

Healthy Envire Solutions Pvt. Ltd.

Koushna ch. Del Managing Director

Call Now: 09040005060 / 09861336272 E-mail: healthyenvirosolutions@gmail.com

APPROVED BY

UT UH 3115 H

ISC 14001:2015

Techno Commercial Terms and Condition

✓ Client Scope of work

- All civil works, such as foundation of equipments, pipe supports, drain trenches, supporting structures & platforms.
- Final grounding of all the equipments
- o Plant area, building illumination, ventilation & earthling.
- Supply of power, water, regenerate chemicals for commissioning.
- Lubricant oil, grease as required after initial operation.
- All pipe work beyond our termination points
- Supply of raw, soft & treated water storage tanks and transfer Pumps.
- All equipments, work and services not specifically mentioned as forming part of our offer

✓ Commercial terms:

- The above price does not include the cost of Packing and forwarding, Erection and Commissioning and training of your Operation & Maintenance staff.
- Taxes, Insurance and transportation will be charged extra.
- Subjected to Bhubaneswar Jurisdiction Only

✓ TERMS OF PAYMENT

- 60% Advance along with techno-commercial order.
- 40% before dispatch of the material.
- GST: 21AADCH3206M1ZX



HEALTHY ENVIRO SOLUTIONS PVT LTD



Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

√ Validity

This Quote is valid for a period of 30 Days.

✓ DELIVERY

o Delivery shall be four week from the date of order or as agreed at the time of order.

✓ WARRANTEE

- Warrantee is only applicable against any manufacturing defect.
- The warrantee is only valid for 12 months from the date of supply.
- Client must use the machine/plant/system supplied by us as per the design criteria.
- It shall stand void if the machine is not maintained as instructed.
- Client shall maintain daily operational data sheet
- It is only applicable if chemicals, resigns, membranes and other necessary parts are used as instructed.
- The use of system beyond the capacity considered during design may affect the performance of the machine and this degradation does not give rise of any obligations on the part of the maker.
- Back flushing of the machine or membrane is a part of routine maintenance and lack of proper maintenance can lead to performance issue.

Yours faithfully,

Healthy Enviro Solutions Pvt. Ltd.

oushna co. Cos

Managing Director

Call Now: 09040005060 / 09861336272 E-mail: healthyenvirosolutions@gmail.com



HEALTHY ENVIRO SOLUTIONS PVT LTD अट्रान






Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

BOTTLING PLANT LAYOUT



by in Healthy





HEALTHY ENVIRO SOLUTIONS PVT LTD





Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY



Corp. Office: Plot No-247, Oscar City, LaxmiSagar Canal Road, BBSR - 751006, Khurda, Odisha Branch Office (Delhi): 115/B-64, 2nd Floor, Guru Nanak Pura, Laxmi Nagar, New Delhi – 110092 Branch Office (Kolkata): Flat – 2/3, Block-D, RK Puram, Mission Pally, Sonarpur, Kolkata –700150 E-Mail:info@healthyenvirosolutions.com, Visit us at: www.healthyenvirosolutions.com



HEALTHY ENVIRO SOLUTIONS PVT LTD



Live Healthy in Healthy Environment

ISO 14001-2015(EMS) CERTIFIED COMPANY

HESPL BANK DETAILS

	Bank Branch Name	Bank of Baroda, Gobind Prasad Branch, Bhubaneswar
	Types of A/c	Current A/c
	Bank A/c Name	Healthy Enviro Solutions Pvt. Ltd.
बैंक ऑफ़ बड़ीदा	Account No	50110500000043
Bank of Baroda	IFS Code	BARBOGOBIND
	Bank Branch Name	State Bank of India , Laxmi Sagar Branch, Bhubaneswar
	Types of A/c	Current A/c
	Bank A/c Name	Healthy Enviro Solutions Pvt. Ltd.
	Account No	33575161516
State Bank of India	IFS Code	SBIN0007047
	Bank Branch Name	HDFC Bank, Nayapalli Branch, Bhubaneswar
	Types of A/c	Current A/c
	Bank A/c Name	Healthy Enviro Solutions Pvt. Ltd.
	Account No	50200015330230
HDFC BANK	IFS Code	H <mark>DFC00</mark> 00640
	Bank Branch Name	ICICI Bank, Cuttack Road Branch, Bhubaneswar
	Types of A/c	Current A/c
	Bank A/c Name	Healthy Enviro Solutions Pvt. Ltd.
	Account No	150005501041
ICICI Bank	IFS Code	ICIC0001500

APPROVED BY







14001:2015



राष्ट्रीय लघ् उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

Sr. No.

67280

(A Government of India Enterprise)

S.No. CUT-8000130

Date: 23/08/2018

Branch Office aMDC Building, IDCO Plot No. 6, 2nd Floor, Block-D, Mancheswar Industrial Estate, Bhubaneswar-751010

Fax: 2548875

Ph: 0674-2549780

Website: www.nsic.co.in

Email: bobhubaneswar@nsic.co.in GOVERNMEN

(Valid From 23/08/2018 to 22/08/2020)

Ref. No NSIC/GP/CUT/2018/61989 / 923

M/s. HEALTHY ENVIRO SOLUTIONS PVT LTD PLOT NO 342/391, SUB PLOT 247, OSCAR CITY, LAXMI SAGAR CANAL ROAD BHUBANESWAR KHORDHA. ORISSA-751006

Factory Address:

1 PLOT NO 342/391, SUB PLOT 247, OSCAR CITY, LAXMI SAGAR CANAL ROAD BHUBANESWAR KHORDHA, ORISSA -751006

Name of the Directors

1.SRI KRUSHNA CHANDRA DAS

2 SMT MAMATA DAS

Constitution of the firm- Private Limited

Enterprise Social Class: GENERAL

GOVERNMENT PURCHASE REGISTRATION NO: NSIC/GP/CUT/2018/0033060

Monetary Limit: ₹ 30 lakhs (₹ Thirty Lakh Only) TURNOVER (Rupees in Lakhe)

Financial Year	Annual Turnover
2014-15	30.87
2015-18	52.25
2016-17	59.85
Monetary Limit	30

Your name has been registered as a MSE Unit eligible for participation in the Central Government Store Purchase Programme as per the Single Point Registration Scheme for the following Item(s)/Store (s)/Service(s)

	Specification(s)	Qualitative Capacity	Quantitative Capacity P.M.P.S.
Service(s)	WALL STREET SEE SA	tached" (A them only)	

"As per List Attached" (4 Item only)

Disclaimer:- The purchasing agencies are advised to satisfy themselves with the store details in the certificate while doing the Technical Evaluation stage before placing the tender/order on the units. certified by NSIC.

Next Page

M/s. HEALTH'S ENVIRO SOLUTIONS PVT LTD

Authorised Signatory

theoticity of the certificate can be checked through the web portal: www.nsicspronline.com*

Dr. Sanjay Rautela ZGM - East-II

CIN: U74140DL1955GOI002481

Conditions overleaf...



CERTIFICATE

This is to certify that the Environment Management System of

HEALTHY ENVIRO SOLUTIONS PVT. LTD.

Plot No. 247, Oscar City, Laxmi Sagar Canal Road, Bhubaneswar -751016, Odisha, India.

has been found to comply with

ISO 14001:2015

This certificate is applicable to the following scope:

Environmental Consultation (Effluent Treatment Plant, Sewage Treatment Plant, Water treatment Plant, Reverse Osmosis Plant, Assembling & Supplying Noodles, Pasta & Related Food Grade Machines)

Certificate No :: I-ESC202010015

Date of Initial Registration

Surveillance Audit on/before

Certificate Expiry

Recertification Due

17 October 2020

17 September 2021

16 October 2021

16 October 2023







Augh.

Authorized Signatory

BOC ASSESSMENT PRIVATE LIMITED

262, DLF Galleria, Misyor Vibar, Dulbi-110091

Website: www.bqccort.com | B-mail: info@bqccort.com | Ph: +91 9810618108

BOC Certification is accredited by International Accreditation Services (IAS), United States of America wide MSCB Number 124.

Accreditation details are available with IAS, (International Accreditation Service) Inc. USA, at www.lasonline.org

The validity of this certificate can be verified at www.bqccert.com or through info@bqccert.com

This certificate is the property of BQC Certifications and must be returned on request.







CENTRAL VIGILANCE COMMISSION

Certificate of Commitment

This is to certify that

HEALTHY ENVIRO SOLUTIONS PVT LTD

has adopted the Integrity Pledge and is committed to uphold highest standards of integrity and good governance and to follow ethical practices in conducting its activities



Nilam Sawhney

Central Vigilance Commission, Satarkta Bhawan, G.P.O. Complex, INA, New Delhi-110023 Tel: 011- 24600200 (30 Lines), Fax No. 011- 24651010/24651186, Website: www.cvc.nic.in











CENTRAL VIGILANCE COMMISSION

Certificate of Commitment

This is to certify that

Shri KRUSHNA CHANDRA DAS

has adopted the Integrity Pledge and is committed to uphold highest standards of honesty & integrity and to follow probity and rule of law in all walks of life



Nilam Sawhney Secretary

Central Vigilance Commission, Satarkta Bhawan, G.P.O. Complex, INA, New Delhi-110023 Tel: 011- 24600200 (30 Lines), Fax No. 011- 24651010/24651186, Website: www.cvc.nic.in



ଓଡ଼ିଶା ସରକାର P.W.D. CONTRACTORS



REGISTRATION CERTIFICATE ODISHA STATE

Company Name	HIAL	THY ENVIRO	SOLUTIONS PVI	130	-
Managing Director Name	KRESHNA CHANDRA DAS				_
Туре	COMPANY	Class)		0
Regd. No.	354HW928	61	Valid Upto	31-03-2022	
	PRESE	NT ADDR	RESS	E DIE	
House No. PEO	FNO 247 Habitat/ Stre	et	OSCAR CITY	PQUARE	
Village/ Local Ar	ea Name	W	ARD NO. 41		
GP/ Ward	WARD NO. 44	P.O	BADA	GADA	
Block/ULB	BEILHANENWAR (ME	er PS	BAI	DAGADA	
Dot KIII	RDHA State	ODISHA	Pin	751006	0
Mobile 1988	S1336272 I	Email	KRISHU DASSY	AHOO.CO.IN	
				7-	
110000000000000000000000000000000000000	ch Das		Chief Enghi Chief Enghi Odisha, Bhu	The Control of the Co	6941

new edmodula per in