



V-LAB ELECTRONICS
Trusted by Engineers



X-TOOL X100 PAD ELITE

Description:

X100 PAD Elite is a professional tablet key programmer which not only provides customers with key programming, but also supplies advanced special functions. Equipped with KC100 key programmer, X100 PAD Elite can perform: Key programming, oil service light reset, timing belt service light reset, tire pressure warning light reset, EPB reset, throttle body reset, DPF reset, battery reset, steering angle calibration and OBD-II engine diagnosis, etc. Xtool X100 PAD Elite is the perfect solution for workshops and technicians who demand professional car diagnosis.

Functions:

- IMMOBILIZER
 - ❖ Mahindra(India), Maruti(India), TATA(India), Honda, Hyundai, Ford, Nissan Pin data, Audi, Benz, BMW, Fiat, Jaguar, Jeep, KIA, Nissan, Mitsubishi, MG, Renault, Skoda, Suzuki , Toyota and many more
- DIAGNOSIS
 - ❖ Honda, Hyundai, Toyota, Audi, VW, Skoda, Fiat, Ford, TATA(India), Suzuki, MG, Mahindra(India), Kia, Nissan, Maruti(India), Chevrolet, Chrysler, Citron, GM, Hummer, Isuzu, Maybach, Renault, Volvo and many more
- SPECIAL FUNCTION
 - ❖ Oil reset, ABS Bleeding, EEPROM, Cylinder, ELEC. PUMP, BMS Reset, DPF, Air Suspension, TPMS, Seat programming, air bag fix up, Tyre, window initialization, Transmission Programming and many more



V-LAB ELECTRONICS
Trusted by Engineers

➤ **MILEAGE ADJUSTMENT**

- ❖ Chevrolet, Audi, Benz, Chrysler, Citron, Fiat, Ford, GMC, Hummer, Hyundai, Isuzu, Jaguar, Kia, Land rover, MG, Mitsubishi, Nissan, Opel, Seat, Skoda, SSANGYONG, Skoda, Suzuki, Volvo, Toyota, VW and many more

NOTE: For complete coverage, please contact us



Parameters:

- ✓ **CPU** : Quad core processor 1.8GHz
- ✓ **Memory** : 2GB RAM, 64 GB ROM
- ✓ **Touch screen** : 8 inches LED Compatible touch screen
- ✓ **Resolution** : 1024*768 resolution
- ✓ **Camera**: Rear camera, 8 million pixels, with flash autofocus
- ✓ **Sensor**: Gravity sensor
- ✓ **Interface** : USB3.0, DC charging port, DB15 interface, MINI HDMI
- ✓ **Audio Input/Output** : Microphone/Speaker
- ✓ **Battery** : 3.7V, 10000mAh, Rechargeable Lithium-ion Battery
- ✓ **Working temperature** : -20°Cto 50°C(-4°Fto 126°F)
- ✓ **Relative humidity** : <90%
- ✓ **Appearance size** : 275*183*33.9 (mm)



V-LAB ELECTRONICS
Trusted by Engineers

Packaging List:

- ✓ **Accessories:** Certificate of quality, User manual, cartoon, Packaging list, tool case
- ✓ **Main Unit:** Mini B to USB 3.0 Type C cable, KC100, Charger for tablet, x100 PAD ELITE Cable, EEPROM 2 Adapter, Charger US adapter
- ✓ **Test Connector:** OBDII-16, Mazada-17R, Hyundai/KIA-10, USB 3.0 main cable(1m), Honda-3, KIA20, DB15 main cable

Full System Diagnosis

Read & clear DTCs,
dataflow reading and
actuation tests for all
systems

