

Print, Copy, Scan (fax and wireless optional)

HP LaserJet MFP M72625dn



Count on legendary HP performance and reliability at an affordable price with robust paper handling options.

Count on legendary HP performance and reliability at an affordable price. Help increase value and decrease budget with low running costs. This easy-to-use MFP is ready to take on your business printing with robust paper handling and versatile options.



HP Quality, Affordable Price

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Print premium, professional-quality documents with sharp text and crisp graphics.
- Get consistent, professional-quality and performance you count on with Original HP toner cartridges and drums.



Solid Productivity

- Send scans to email or your PC, right from the MFP. Capture and send for simple filing and sharing.
- Load up to 100 pages into the auto document feeder. Optional inner finishing can increase office productivity.



Solid Productivity

- Easy-to-use 7" intuitive touchscreen color graphic display helps keep business moving
- Print and share documents from mobile devices via Airprint™, Mopria® and Google Cloud Print™.
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.¹



Security Capabilities

- Help ensure important documents and confidential information stay secure.
- Help regulate printing costs by assigning which users have authorized permissions.
- Protect data and network from unauthorized access with encryption, overwriting, industry standard security.

Product walkaround



HP LaserJet MFP M72625dn

- 1. Easy-access USB port¹
- 2. 500-sheet output bin
- 3. Ethernet 10/100/1000Base-TX, USB 2.0 device port; 2 Hi-speed USB 2.0 host ports, optional wireless networking²
- 4. Built-in automatic two-sided printing
- 5. 520-sheet tray 2 supports media up to A4
- 6. 520-sheet tray 3 supports media up to A3
- 7. 100-sheet reversing ADF
- 8. 17.8 cm (7.0 inch) colour touchscreen
- 9. Flatbed scanner handles sheets up to 297 x 432 mm
- 10. Right door (access to the print path)
- 11. 100-sheet multipurpose tray 1 supports media up to A3
- 12. Front door access to toner cartridges

Series at a glance



Model	HP LaserJet MFP M72625dn	HP LaserJet MFP M72630dn
Product number	2ZN49A	2ZN50A
Colour printing	Not available	Not available
Print speed (black)³	Up to 25 ppm	Up to 30 ppm
First page out time (from ready)⁴	Up to 8.5 seconds	Up to 8.0 seconds
Input capacity (standard/max⁵)	Up to 1,140/2,180 sheets	Up to 1,140/2,180 sheets
Output capacity	Up to 500 sheets	Up to 500 sheets
Built-in Ethernet; optional wireless networking²	Yes	Yes
100-sheet reversing ADF	Yes	Yes
Automatic two-sided printing	Yes	Yes

Technical specifications

Functions	Print, Copy, Scan (fax and wireless optional)
Print	
Duplex print options	Automatic (standard)
Print speed	Black (A4, normal) Up to 25 ppm; Black (A4, duplex) Up to 19 ipm
First page out	Black (A4, ready) As fast as 8.5 sec; Black (A4, sleep) As fast as 31.5 sec
Print resolution	Black (best) Up to 1200 x 1200 dpi (with reduced speed); Black (normal) Up to 600 x 600 dpi
Print technology	Laser
Print cartridges number	1 (black)
Standard print languages	PCL6, Postscript 3, PDF (v1.7)
Printer management	HP Web Jetadmin - discover and monitor
Scan	
Scan technology	Type Flatbed, Reverse ADF, Mirror Moving Type(MMT) Scanner with Color CCD; Technology Color CCD
Scan speed	Normal (A4) Up to 45 ipm (b&w), up to 45 ipm (color)
Scan resolution	Enhanced Up to 4800 x 4800 dpi with reduced speed; Hardware Up to 600 x 600 dpi; Optical Up to 600 x 600 dpi
Scan size	ADF 297 x 437 mm Flatbed 297 x 437 mm
Scan input modes	Front panel applications: Copy, E-mail; Fax: Save to Network Folder; Save to USB; Save to Device Memory (with optional HDD) ¹ ; Save to PC; Scan software: user application via TWAIN or WIA
Copy	
Copy speed	Black (A4, normal) Up to 25 cpm
First copy out	Black (A4) As fast as 6.2 sec Black (A4, sleep) As fast as 30 sec
Copy resolution	Black (text and graphics) Up to 600 x 600 dpi; Color (text and graphics) Up to 600 x 600 dpi
Max. number of copies	Up to 9999 copies
Copier resize	25 to 400%
Copier settings	ID Copy, N-Up, Booklet, Auto Fit, Book Copy, Watermark, Stamp, Job Build, Edge Erase, Image Shift, Image Adjustment, Background Adjustment, Preset Programs
Fax	
Fax speed	Black (best) Up to 600 x 600 dpi; Black (standard) 203 x 98 dpi; Black and white (fine) 203 x 196 dpi, 256 levels of gray; Black and white (superfine) 300 x 300 dpi, 256 levels of gray; Black photo grayscale 203 x 196 dpi (halftone)
Fax resolution	Up to 600 x 600 dpi
Fax features	Auto fax reduction supported Yes; Auto-redialing Yes; Fax delayed sending Yes; Distinctive ring detection supported Yes; Fax forwarding supported Yes; Junk barrier supported Yes; Maximum speed dialing numbers Up to 500; PC interface supported Yes; Fax polling supported No
Fax smart software features	Auto Redial; Caller ID; Secure Reception; Fax forwarding to Fax/Email/SMB/FTP; Job Build
Connectivity	
Standard connectivity	Hi-Speed USB 2.0; Host USB; built in Gigabit Ethernet 10/100/1000 Base-TX network port
Mobile printing capability	Apple AirPrint, Mopria-certified, Google Cloud Print, PrinterOn Cloud Print
Wireless capability	Optional, enabled Via Wireless LAN/NFC kit; Yes, wireless direct, IEEE 802.11 b/g/n
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)
Memory	Standard 1.5 GB; Maximum 1.5 GB
Processor speed	1 GHz (dual core)
Warm-up time	25 sec
Duty cycle (monthly)	Up to 80,000 pages (per month); Recommended monthly page volume: Up to 40,000 pages (per month)
Paper handling	
Input	1140 sheets; 100-sheet multi-purpose tray, 2 x 520-sheet input tray STD; Optional 2 x 520 Dual Cassette Feeder
Output	500 sheet face-down output bin
Media type	Paper (Plain, HP EcoEFFECT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200g, Cardstock 176-220g, Labels, Letterhead, Envelope, Preprinted, Prepunched, Colored)
Media weight	Tray 1: 60 to 175 g/m ² ; Tray 2, 3: 60 to 220 g/m ²
Media sizes custom	Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 354 mm; Tray 3: 148 x 210 to 297 x 432 mm
Dimensions (W x D x H)	566 x 620 x 820 mm
Weight	59.5 kg
What's in the box	LaserJet MFP M72625dn Printer; Power Cable; Hardware Install Guide; Software CD (Includes User Guide)
Warranty features	90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.
Systems	
Compatible operating systems	Windows XP (32/64 bit), Vista (32/64 bit), 2003 Server (32/64 bit), 2008 Server (32/64 bit), Win7 (32/64 bit), 2008 Server R2 (64 bit), Win8 (32/64 bit), Win8.1 (32/64 bit), 2012 Server (64 bit), 2012 Server R2 (64 bit) / Mac OS 10.6- 10.10 / Linux Red Hat Enterprise Linux 5, 6, 7 / Fedora 13, 14, 15, 16, 17, 18, 19, 20, 21 / openSUSE 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, 13.2 / Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10 / SUSE Linux Enterprise Desktop 11, 12 / Debian 6, 7 / Mint 13, 14, 15, 16, 17
Minimum system requirements	PC Windows XP Service Pack 3 and Windows XP SerServer 2003: Intel Pentium III 1 GHz (Pentium IV 2 GHz), RAM: 512 MB (1 GB), Free HDD Space: 1.5 GB; Windows XP SerServer 2008: Intel Pentium III 1 GHz (Pentium IV 2 GHz), RAM: 512 MB (2 GB), Free HDD Space: 10 GB; Windows Vista, Intel Pentium IV 3 GHz, RAM: 512 MB (1 GB), Free HDD Space: 15 GB; Windows 7: Intel Pentium IV 1 GHz 32-bit or 64-bit processor or higher, RAM: 1 GB (2 GB), Free HDD Space: 16 GB; Windows Server 2008 R2: Intel Pentium IV 1.4 GHz (x64) processors (2 GHz or faster), RAM: 512 MB (2 GB), Free HDD Space: 10 GB; Windows 8, Windows 8.1, Windows 10, Windows Server 2016: Intel Pentium IV 1 GHz 32-bit or 64-bit processor or higher, RAM: 2 GB (2 GB), Free HDD Space: 20 GB; Windows Server 2012, Windows Server 2012 R2: Intel Pentium IV 1.4 GHz (x64) processors (2 GHz or faster), RAM: 512 MB (2 GB), Free HDD Space: 32 GB Mac CPU: Intel® processors; RAM: 1 GB (2 GB); Free HDD space: 1 GB; Operating system: Mac OS X 10.6. CPU: Intel® processors; RAM: (2 GB); Free HDD space: 4 GB; Operating system: Mac OS X 10.7-10.10
Fonts and Typefaces	PCL: 95 Scalable Fonts (Include OCR-A / OCR-B); 1 Bitmap, PS3: 136 Scalable Fonts
Control panel	4 LED Lights (Power/Wakeup, Interrupt, Status, Eco); 24 Buttons (Power/Wakeup, Interrupt, Stop, Start, Job Status, Counter, Eco, Clear, Redial/Pause, Logout/ID, On Hook Dial, Reset, 12 Numeric Keypad (0-9, *, #))
Display	7 in color touchscreen panel (800 x 480 - WVGa)
Power	Power supply type Internal (Built-in) power supply; Power supply required Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%); Power consumption: 590 watts (printing), 590 watts (copying), 100 watts (read mode), 1.5 watts (sleep)
Software included	HP L.J Network PC Fax, HP MFP Scan, HPMFP Scanto PC Setup, HP OCR Software, HP LaserJet Printer Software Uninstaller
Acoustics	Acoustic power emissions: 6.6 dBA (printing mono simplex, A4 at 25 ppm); Acoustic power emissions (ready) Inaudible; Acoustic pressure emissions bystander (active, printing) 50 dBA (printing mono simplex, A4 at 25 ppm); Acoustic pressure emissions bystander (ready) 30 dBA
Environmental ranges	Operating temperature range 15 to 30°C; Recommended operating temperature 15 to 30°C; Non-operating humidity range 10 to 80% RH; Operating humidity range 20 to 80% RH; Recommended Operating humidity range 20 to 80% RH
Security management	Embedded Web Server: password protection, configurable login failure policy, configurable auto logout, secure browsing via SSL/TLS; Security Management: IP and Mac Filtering; Security protocol: 802.1x (EAP-MD5, EAP-MSCHAPv2, PEAR TLS), IPsec, SNMPv3, User authentication: LDAP, SMB, Kerberos
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International), EN 60950-1:2006 +A1:2009 +A1:2010 +A1:2011 +A2:2013 (EU), IEC 60825-1:2014, EN60825-1:2014 (Class 1 Laser/LED Device), Low Voltage Directive 2014/35/EU with CE Marking (Europe) GB4943.1-2011; other safety approvals as required by individual countries
Supported network protocols	TCPIPv4; IPv6; DHCP; BOOTP; AutoIP; DNS; DDNS; WINS; Standard TCP/IP; LPR/LD; IPP; ThinPrint; Google Cloud Print; AirPrint; WSD print; FTP print; HTTP; SNMP(V1/Vc3); Telnet; SLP; Bonjour; UPnP(SSDP); WSD Discovery; SMTP; FTP; LDAP; SMB; Kerberos

Ordering Information

Number	Description
2ZN49A	HP LaserJet MFP M72625dn

Accessories

Number	Description
Y1G00A	HP LaserJet Inner Finisher
Y1F97A	HP LaserJet Dual Cassette Workgroup Feeder
Y1G02A	HP LaserJet Inner Finisher Hole 2/3 Punch
Y1G03A	HP LaserJet Inner Finisher Hole 2/4 Punch
Y1G13A	HP LaserJet Inner Staples
Y1G15A	HP LaserJet Workgroup Job Separator
Y1G17A	HP LaserJet Printer Cabinet
Y1G23A	HP LaserJet Second Exit Accessory
SS411B	CLX-FAX160 Fax Expansion Kit
SS411E	CLX-FAX160 Fax Expansion Kit
SS411F	CLX-FAX160 Fax Expansion Kit
SS441B	SCX-HDK471 Internal 320 GB Hard Drive
SS441C	SCX-HDK471 Internal 320 GB Hard Drive
SS441D	SCX-HDK471 Internal 320 GB Hard Drive
SS474B	SL-NWE001X Wireless/NFC Adapter
SS474E	SL-NWE001X Wireless/NFC Adapter
SS474F	SL-NWE001X Wireless/NFC Adapter
SS421B	CLX-KIT10F Foreign Interface Harness
SS421C	CLX-KIT10F Foreign Interface Harness

*The second exit accessory is required when using either the Inner Finisher or the Job separator.

Supplies and Maintenance Kits

Number	Description
W9006MC	HP W9006MC Black Managed LaserJet Imaging Drum
W9007MC	HP W9007MC Managed LaserJet Toner Collection Unit
W1002YC	HP Black Contract LaserJet Toner Cartridge (33,000 ISO yield)
W9006GM	HP LaserJet Black Imaging Drum Unit (200,000 yield)
Z9M06A	HP LaserJet 110V Fuser Assembly
Z9M07A	HP LaserJet 220V Fuser Assembly
Z7Y83A	HP LaserJet E7 Trays 2-x Rollers
Z7Y88A	HP LaserJet MP Roller
Z9M08A	HP LaserJet Transfer Roller
Z9M05A	HP LaserJet Black Developer Unit
3KR68A	HP ADP Separation Pad
3KR69A	HP ADP Pick Roller Assembly

HP Care Packs

Number	Description
U9VU4E	HP 1 year Next Business Day w/Defective Media Retention Service for LaserJet M726xx MFP
U9VV1E	HP 1 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VV2E	HP 3 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VV3E	HP 4 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VV4E	HP 5 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VV9PE	HP 1 year Post Warranty Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VW0PE	HP 2 year Post Warranty Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to(65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc



Footnotes

¹ Not all HP Web Jetadmin features are supported on the HP LaserJet MFP M72625dn and HP LaserJet MFP M72630dn. HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

² Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

³ Purchase of optional paper tray required to reach maximum input capacity. Installation from HP Authorized service provider only.

Technical specifications disclaimers

¹ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

² Purchase of optional HDD required for Saving to Device Memory.

Product walkaround disclaimers

¹ Easy-access USB port for printing without a computer and upgrading the firmware.

² The HP LaserJet MFP M72625dn and M72630dn can both add wireless networking with selection of the optional Wireless LAN/NFC kit. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

³ Measured using ISO/IEC 24734 and excludes the first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. The HP LaserJet MFP M72625dn prints up to 25 ppm (black), and the M72630dn prints up to 30 ppm (black).

⁴ Measured using ISO/IEC 17629. Exact speed for first page out varies depending on the system configuration, software application, driver, and document complexity. Learn more at hp.com/go/printerclaims.

⁵ Purchase of optional paper tray required to reach maximum input capacity. Installation from HP Authorized service provider only.

To learn more, visit hp.com

© Copyright 2018 HP Development Company L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc. registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

