

Turning Waste into Watts: From Field to Fuel

ENERSOL BIOPOWER PVT. LTD.

Established in 2013 by Mr. Rai Singh Dahiya, a grassroots innovator in biomass gasifier technology, our company is renowned for its small-size biomass gasifiers, smokeless biomass stoves, and other renewable energy products.

Transform your Energy,

Transform Your World

ESB-R BIO-GENSET



62.5KVA/50KW

BIOGAS/ SYNGAS/PRODUCER GAS GENERATOR SETS



ABOUT US

a decade With over expertise in the green energy sector, Enersol Biopower Pvt Ltd stands as a renowned leader in the manufacturing of sustainable energy solutions. extensive Our product portfolio includes biomass gasifiers, biogas generators, plants, smokeless biogas stoves, biomass torrefaction plants, and used oil distillation machines.



At Enersol Biopower, we are committed to delivering highquality, innovative products that meet the diverse energy needs of our clients while promoting environmental stewardship. Our team of skilled professionals leverages cutting-edge technology and industry best practices to design and manufacture reliable, efficient, and eco-friendly energy solutions.

ESB-R BIO-GEN62.5

The ESB-R BIO-GEN62.5; 62.5KVA Biogas Generator Set is engineered for high efficiency and reliability, delivering significant cost savings and environmental benefits through the exclusive use of biogas. This generator is ideal for medium-sized farms and businesses, converting biogas into a consistent and sustainable power supply.









Versatile Product Line

- **Ready-to-Use Units:** Pre-assembled gensets that minimize setup time and effort.
- Biogas Compatibility: Designed to operate efficiently using biogas as fuel.

Innovative Design

- Modern Aesthetics: Sleek and professional appearance.
- **Space-Saving Size:** Compact design that saves space and cuts installation costs.

User-Friendly Maintenance

- **Simplified Design:** Ready-to-use gensets that are easy to install and operate.
- Ease of Service: Facilitates routine maintenance, parts replacement, and overhauls.

Superior Performance

- **Economical Operation:** Lower operating costs enhance overall efficiency and affordability.
- Reduced Noise and Vibration: Engineered to operate with minimal noise and vibration.

Eco-Conscious Operation

• Environmentally Friendly: Runs on 100% biogas, contributing to a cleaner environment and reducing carbon emissions.


Exceptional Reliability

- Dependable Performance: Ensures continuous power supply for smooth and uninterrupted operations.
- Safety Mechanisms: Includes safety features such as low lube oil pressure protection.
- Designed for Continuous Use: Suitable for longterm, continuous operation with advanced technology ensuring consistent performance.



BASIC DETAILS





62.5M3 BIOGAS IS REQUIRED PER HOUR TO RUN OUR 62.5KVA BIOGAS GENERATOR SET

WORKING PARAMETERS

Before entering the engine, the biogas should undergo appropriate filtering, gas-liquid separation, and pressure regulation to ensure no liquid content remains in the gas. The capacity of the biogas pressure-buffering tank should be compatible with the generator's gas consumption.

Additionally, the following specifications must be met:

- The biogas used should contain more than 65% methane.
- Gas temperature must be ≤40°C.
- Moisture content must be ≤20 mg/Nm3.
- Impurities particle size should be ≤5µm, with impurity content ≤30mg/Nm3.
- Heat value should be ≥4MJ/Nm3.
- Gas pressure should range from 3 to 5kPa, with a pressure change rate ≤1kPa/min.
- Maximum Hydrogen Sulfide (H2S) content should not exceed 200PPM, and CO & CO2 levels should not exceed 30%.



TECHNICAL SPECIFICATIONS

Model Name ESB-R Bio-Gen62.5

Model No. ESB-RBG62.5

Starter 24V starter

Biogas Consumption 62.5M3/hr.

Ignition Spark Ignition

Battery Exide

Weight
1Ton approx.

Dimension L156" x W50" x H72"

PARTICULAR	- DETAILS
Make	- Enersol Biopower®
Fuel Mode	- 100% on biogas
Capacity	- 62.5KVA/50KW
Power factor	- 0.8 P.F.
Frequency (Hz)	- 50Hz
Phase	- Three
Rated Current	- Amps/phase
Voltage (V)	- 415V
Governor	- Electronic governor
Acoustic enclosure	- Provided





ENGINE SPECIFICATIONS	5	
Bore x Stroke (mm)	4	114 x 120
Stroke	-	Four stroke engine
Engine power output	<u>-</u> /	5HP
Rated speed	+	1500RPM
Cooling System	*	Water cooled radiator
No. of cylinder	-	6nos.
Lube oil sump capacity	•	22ltrs.
Lube oil change period	•	1st Change: 50-80 hrs 2nd Change: 150-200 hrs Subsequent Changes: Every 250- 300 hrs.
Alternator	. = 8	Kirloskar /Mahindra/others



CONTROL PANEL				
Oil pressure gauge		Yes		
Water temperature gauge		Yes		
Starting switch		Yes		
Hour meter		Yes		
Multi meter (Energy, Voltage, Amps, & Frequency indicators)		Yes		
Phase indicator lamp		Yes		
Overload relay contractor		Yes		
Voltage low/high cutoff protection		Yes		
Frequency low/high cutoff protection		Yes		
Phase loss protection		Yes		
Battery charging indicator		Yes		





BIOGAS GENSET PICTURES









OUR PRODUCTS ON YOUTUBE

- https://www.youtube.com/watch?v=6cYUyY250XE
- https://www.youtube.com/watch?v=iyiz_OBGFGw
- https://www.youtube.com/watch?v=W9HXk2M-Mgw
- https://www.youtube.com/watch?v=-XmU5L6lytM
- https://www.youtube.com/watch?v=I8NuflvOH4k
- https://www.youtube.com/watch?v=7MVHph7NfkY
- https://www.youtube.com/watch?v=vY73UXW6aIM
- https://www.youtube.com/watch?v=FYPajsGRrrw
- https://www.youtube.com/watch?v=Rp17MmDRilQ
- https://www.youtube.com/watch?v=GTmOj_JRLVw
- https://www.youtube.com/watch?v=pcQN3qzNfh0
- https://www.youtube.com/watch?v=IAGaO9LRVOY
- https://www.youtube.com/shorts/pSmLx4dQAoQ

FOLLOW US



- https://www.youtube.com/watch?v=OD9ueNYjf1Q&t=23s
- https://www.youtube.com/watch?v=fjUlT8k4Axg&t=9s
- https://www.youtube.com/watch?v=rtjSn_9P-Yc_
- https://www.youtube.com/watch?v=ghm_odvyvzc
- https://www.youtube.com/watch?v=g1iemqc0-80&t=15s
- https://www.youtube.com/watch?v=g6ya3XhDBCQ
- https://www.youtube.com/shorts/JL5d8YCauic
- https://wwahttps://www.youtube.com/shorts/wa0S18Dq\
 Yw.youtube.com/shorts/JL5d8YCauic
- https://www.youtube.com/shorts/hIZd0IjVccY
- https://www.youtube.com/shorts/LVqJYhPrLXU
- https://www.youtube.com/watch?v=0AhISC5Dw00
- https://www.youtube.com/shorts/tlTevfsPD0o
- https://www.youtube.com/watch?v=Bb8g5ooogaM



OUR CLIENTS

















































AWARDS & EXHIBITIONS



PRESIDENT AWARD WINNER

- Fifth National Grassroots Innovation Award, 2009.
- Innovation Scholars In-residence Program at President House.
- Indian Merchant Chamber (IMC) Inclusive Innovation Award, 2012.
- Certificate of Appreciation As "Farmer Scientist" By Rajasthan University of Veterinary & Animal Sciences, Bikaner, Rajasthan.
- Certificate of "Farmer Scientist" By Pacific University, Udaipur, Rajasthan.
- Certificate from Department of Science & Technology at National Science Day, Jaipur, Rajasthan.
- Business Expo Kota 2023, Kota, Rajasthan.

- Exhibition of Innovations, President House, 2010
- Inauguration of ESB-R Biomass gasifier by former chief minister of Meghalaya, 2013
- Third international conference on creativity
 innovations at grassroots at Indian institute of management (IIM), Ahmedabad, 2015
- India International Science Festival (IISF), New Delhi, 2016.
- India International Trade Fair (IITF), New Delhi, 2016.
- Mega Science & Technology and Industry Expo, New Delhi, 2017
- Bollywood movie Padman promotion, 2018.





























Enersol Biopower Pvt. Ltd.

Plot No.-57A, Vrindavan Vihar, Akeda Dunder, Laxminarayanpura, Vishwakarma Industrial Area (VKI), Road No.-19, Jaipur- 302013 (Rajasthan)





+91-9414535665 +91-7073495200 +91-9610103127



info@enersolbiopower.com gayatri@enersolbiopower.com raj@enersolbiopower.com



www.enersolbiopower.com www.enersolbiopower.in



https://www.youtube.com/@enersolbiopower-biomassgas3987



https://www.indiamart.com/enersol-biopower-jaipur/profile.html



https://twitter.com/EnersolBio



https://www.linkedin.com/comp any/enersol-biopower-pvt-ltd



https://www.instagram.com/enersol_biopower/