

QUOTATION

To

Subject: Quotation for “MEDSTIM (r-TMS) – Model MS-50” Bi-phasic Transcranial Magnetic Stimulator with Theta Burst Mode

Dear Sir/Madam,

Greetings from R.S. Enterprises!

We are pleased to submit our quotation for the supply of the MEDSTIM (r-TMS) Model MS-50 – an advanced bi-phasic Transcranial Magnetic Stimulator designed specifically for clinical neurophysiology and psychiatric applications. As an ISO 9001:2015 Certified and Authorized Distributor of Medicaid Systems (Chandigarh), we specialize in delivering state-of-the-art medical diagnostic equipment across India.

This model comes equipped with Theta Burst Mode, programmable protocols, MRI compatibility, and a deep stimulation design, ideal for research and therapeutic environments. Kindly find below the detailed specifications, pricing, and terms for your consideration.

We look forward to serving your esteemed institution with the highest standards of quality and support.

Warm regards,
SHASHEE KUMAR
Founder & Director
R.S. Enterprises
Email: rsenterprises227@gmail.com
Contact: +91-9832362661 / +91-9474878436
Web: www.rsenterprisesindia.co.in

Product Quotation: MEDSTIM (r-TMS) – Model MS-50

Pricing Table

Description	NO OF UNITS	Unit Price (INR)	PRICE BEFORE GST	GST @12% (INR)	TOTAL PRICE
MEDSTIM (r-TMS) Model MS-50 (w/ Theta Burst Mode)	01	₹15,00,000	150000.00	₹18400.00	1680000.00

Model: MS-50 with Theta Burst Mode

Make: Medicaid Systems, Chandigarh

Technology: Bi-phasic (Full Sine) Pulse-based Transcranial Magnetic Stimulator

Application Areas: Neurophysiology & Psychiatry – Clinical & Research Use

Key Features

- - Indigenous design optimized for Indian conditions
- - Bi-phasic stimulation with single, repetitive & inhibitory treatment modes
- - Stimulation rate up to 50 pps, pulse width up to 320 μ s
- - Full-color TFT display with user-friendly protocol interface
- - Dual coil connection with high-power output for deep brain stimulation
- - Inbuilt protocol library for various disorders (user configurable)
- - Compatible with MRI triggers
- - Movable trolley, multi-axis stand for easy positioning
- - Theta Burst Mode enabled
- - Continuous temperature monitoring for safe operation
- - Automatic fault detection and analysis

Technical Specifications

Parameter	Specification
Pulse Type	Bi-phasic (Full Sine)
Pulse Width	Up to 320 μ s
Pulse Modes	Single & Repetitive

Stimulation Rate	0.5 to 50 pps
Output Energy Range	20% to 100%
Max dB/dt at Coil Surface	32-36 kilo Tesla
Operating Voltage	230V $\pm$ 10%, 50/60 Hz
Power Consumption (Max / Standby)	2200 VA / 90 VA
Display	Color TFT
Memory	Inbuilt protocol storage
MRI Synchronization	Yes
Theta Burst Mode	Included

Accessories Supplied

Item	Quantity
Angular Butterfly Stimulating Coil	01 No.
Movable Trolley Cart with Stand	Included
Coil Selection Switch (Dual Coil Support)	Included

Bank Details

Account Holder Name: RS ENTERPRISES

Bank Name	Account Number	IFSC Code	Place	Account Holder
HDFC Bank	01512020001351	HDFC0000151	SILIGURI	RS ENTERPRISES
State Bank of India	41097222798	SBIN0000184	SILIGURI	RS ENTERPRISES

R.S. ENTERPRISES

ISO 9001:2015 CERTIFIED

2510/1/E/V/2742/A RAM KRISHNA
VIVEKANANDA SARANI, ZILA PARISHAD
ROAD JYOTINAGAR SILIGURI-734001
+91-9832362661 / +91-9474878436
IEC: BHDPS7640K, GST:19BHDPS7640K1ZR



OPTIONAL :

- ONLINE UPS 3 KVA 50000.00 RS
- RECLINER CHAIR 50000.00 RS

Terms & Conditions

- - Validity: Quotation valid for 30 days from the date of issue
- - Delivery Time: Within 30-40 DAYS working days from receipt of confirmed order
- - Installation & Demo: Provided on-site by our technical experts (within service area)
- - Warranty: One-year standard manufacturer warranty
- - Payment Terms: 100% advance along with Purchase Order,
- - Support: Online and On-site Technical Assistance
- - Certification & Compliance: CE Certified, ISO 9001:2015 | IEC Compliant, MSME, GST, Trade License Registered, GeM Listed Supplier

FOR R.S. ENTERPRISES

SHASHEE KUMAR
Founder & Director
R.S. Enterprises
Email: rsenterprises227@gmail.com
Contact: +91-9832362661 / +91-9474878436
Web: www.rsenterprisesindia.co.in



REACH US AT

rsenterprises227@gmail.com

www.rsenterprises14.shiprocket.social

R.S. ENTERPRISES

ISO 9001:2015 CERTIFIED

2510/1/E/V/2742/A RAM KRISHNA
VIVEKANANDA SARANI, ZILA PARISHAD
ROAD JYOTINAGAR SILIGURI-734001
+91-9832362661 / +91-9474878436
IEC: BHDPS7640K, GST:19BHDPS7640K1ZR



REACH US AT

rsenterprises227@gmail.com

www.rsenterprises14.shiprocket.social

QUOTATION

To

Subject: Quotation for “MEDSTIM (r-TMS) – Model MS-100” Bi-phasic Transcranial Magnetic Stimulator with Theta Burst Mode

Dear Sir/Madam,

Greetings from R.S. Enterprises!

We are pleased to submit our quotation for the supply of the MEDSTIM (r-TMS) Model MS-100 – an advanced bi-phasic Transcranial Magnetic Stimulator designed specifically for clinical neurophysiology and psychiatric applications. As an ISO 9001:2015 Certified and Authorized Distributor of Medicaid Systems (Chandigarh), we specialize in delivering state-of-the-art medical diagnostic equipment across India.

This model comes equipped with Theta Burst Mode, programmable protocols, MRI compatibility, and a deep stimulation design, ideal for research and therapeutic environments. Kindly find below the detailed specifications, pricing, and terms for your consideration.

We look forward to serving your esteemed institution with the highest standards of quality and support.

Warm regards,
SHASHEE KUMAR
Founder & Director
R.S. Enterprises
Email: rsenterprises227@gmail.com
Contact: +91-9832362661 / +91-9474878436
Web: www.rsenterprisesindia.co.in

Product Quotation: MEDSTIM (r-TMS) – Model MS-100

Pricing Table

Description	NO OF UNITS	Unit Price (INR)	PRICE BEFORE GST	GST @12% (INR)	TOTAL PRICE
MEDSTIM (r-TMS) Model MS-100 (w/ Theta Burst Mode)	01	₹17,00,000	170000.00	₹204000.00	1904000.00

****Total Price (Incl. GST): ₹1904000** (NINETEEN LAKHS AND FOUR THOUSANDS)**
Model: MS-100 with Theta Burst Mode
Make: Medicaid Systems, Chandigarh
Technology: Bi-phasic (Full Sine) Pulse-based Transcranial Magnetic Stimulator
Application Areas: Neurophysiology & Psychiatry – Clinical & Research Use

Key Features

- - Indigenous design optimized for Indian conditions
- - Bi-phasic stimulation with single, repetitive & inhibitory treatment modes
- - Stimulation rate up to 100 pps, pulse width up to 320 μ s
- - Full-color TFT display with user-friendly protocol interface
- - Dual coil connection with high-power output for deep brain stimulation
- - Inbuilt protocol library for various disorders (user configurable)
- - Compatible with MRI triggers
- - Movable trolley, multi-axis stand for easy positioning
- - Theta Burst Mode enabled
- - Continuous temperature monitoring for safe operation
- - Automatic fault detection and analysis

Technical Specifications

Parameter	Specification
Pulse Type	Bi-phasic (Full Sine)
Pulse Width	Up to 320 μ s
Pulse Modes	Single & Repetitive
Stimulation Rate	0.5 to 100 pps
Output Energy Range	20% to 100%
Max dB/dt at Coil Surface	32–36 kilo Tesla
Operating Voltage	230V $\pm$ 10%, 50/60 Hz
Power Consumption (Max / Standby)	2200 VA / 90 VA
Display	Color TFT
Memory	Inbuilt protocol storage
MRI Synchronization	Yes
Theta Burst Mode	Included

Accessories Supplied

Item	Quantity
Angular Butterfly Stimulating Coil	01 No.
Movable Trolley Cart with Stand	Included
Coil Selection Switch (Dual Coil Support)	Included

•)

Bank Details

Account Holder Name: RS ENTERPRISES

Bank Name	Account Number	IFSC Code	Place	Account Holder
HDFC Bank	01512020001351	HDFC0000151	SILIGURI	RS ENTERPRISES
State Bank of India	41097222798	SBIN0000184	SILIGURI	RS ENTERPRISES

OPTIONAL :

- ONLINE UPS 3 KVA 50000.00 RS
- RECLINER CHAIR 50000.00 RS
- H coil 250000.00

Terms & Conditions

- - Validity: Quotation valid for 30 days from the date of issue
- - Delivery Time: Within 30-40 DAYS working days from receipt of confirmed order
- - Installation & Demo: Provided on-site by our technical experts (within service area)
- - Warranty: One-year standard manufacturer warranty
- - Payment Terms: 100% advance along with Purchase Order,
- - Support: Online and On-site Technical Assistance
- - Certification & Compliance: CE Certified, ISO 9001:2015 | IEC Compliant, MSME, GST, Trade License Registered, GeM Listed Supplier

FOR R.S. ENTERPRISES

SHASHEE KUMAR
Founder & Director
R.S. Enterprises
Email: rsenterprises227@gmail.com
Contact: +91-9832362661 / +91-9474878436
Web: www.rsenterprisesindia.co.in

R.S. ENTERPRISES

ISO 9001:2015 CERTIFIED

2510/1/E/V/2742/A RAM KRISHNA
VIVEKANANDA SARANI, ZILA PARISHAD
ROAD JYOTINAGAR SILIGURI-734001
+91-9832362661 / +91-9474878436
IEC: BHDPS7640K, GST:19BHDPS7640K1ZR



REACH US AT

rsenterprises227@gmail.com

www.rsenterprises14.shiprocket.social

R.S. ENTERPRISES

ISO 9001:2015 CERTIFIED

2510/1/E/V/2742/A RAM KRISHNA
VIVEKANANDA SARANI, ZILA PARISHAD
ROAD JYOTINAGAR SILIGURI-734001
+91-9832362661 / +91-9474878436
IEC: BHDPS7640K, GST:19BHDPS7640K1ZR



REACH US AT

rsenterprises227@gmail.com

www.rsenterprises14.shiprocket.social

Advanced Neuropsychiatry Solutions – CE Certified

Repetitive Transcranial Magnetic Stimulation (rTMS) Machines

rTMS Machines

CE-Certified for Neuropsychiatric Therapy

Our Repetitive Transcranial Magnetic Stimulation (rTMS) systems are trusted by psychiatry clinics, hospitals, and research institutions for the treatment of depression, OCD, addiction, and other neuropsychiatric conditions. Available in MS-50 (50 pps) and MS-100 (100 pps) models, these devices ensure precision, safety, and reliable outcomes.

Comparison of Models

Features	MS-50 rTMS	MS-100 rTMS
Pulse Rate	50 pulses per second (pps)	100 pulses per second (pps)
Therapy Use	Standard clinical therapy for depression, OCD	Advanced therapy with higher stimulation capacity
Protocols	Depression, OCD	Depression, OCD, Stroke rehab, Addiction, Research
Coil Types	Standard Figure-8 coil	Figure-8, Double Cone, and optional coils
Cooling System	Passive cooling	Active cooling for extended sessions
Operation	Portable, user-friendly interface	Advanced interface with therapy data storage
Use Case	Small & mid-size clinics	Large hospitals, institutes, advanced psychiatry centers
Certifications	CE, CDSCO approved	CE, CDSCO, ISO approved

For detailed pricing & quotation, contact us at:

rsenterprises227@gmail.com | +91 9832362661

MedStim

Bi-phasic Transcranial Magnetic Stimulator



MEDICAID
An ISO 13485 : 2003 Company

rTMS



rTMS *Useful in...*

- Neurology
- Psychiatry
- Physiotherapy
- Pulmonology
- Ophthalmology

Features

- Biphasic waveform
- Stimulation rates up to 100 pps
- All parameters displayed on LCD
- Sweepmode with variable repetition rate
- Flexible protocol storage in built-in computer
- Single pulse, repetitive stimulation & train modes

High-performance, non-invasive magnetic stimulators for use in both the clinic and research

Company Profile

Medicaid Systems, Chandigarh (India) focusing on research, manufacturing and distribution of medical instruments, was founded in 1987 as a high-tech company. Our product line covers a wide range of Neuro-Psychiatry Instruments. Most of the leading Govt. Hospitals, Medical Colleges & Private Doctors are our customers.

Now, we have developed first time in Asia **Transcranial Magnetic Stimulator (rTMS)**. The researching team endeavors to enhance the quality to give an edge over others. A few of our products are CE certified.

Introduction rTMS

rTranscranial magnetic stimulation (rTMS) is a noninvasive method to cause depolarization or hyperpolarization in the neurons of the brain.

TMS uses electromagnetic induction to induce weak electric currents using a rapidly changing magnetic field; this can cause activity in specific or general parts of the brain with minimal discomfort, allowing the functioning and interconnections of the brain to be studied.

A variant of TMS, repetitive transcranial magnetic stimulation (rTMS), has been tested as a treatment tool for various neurological and psychiatric disorders including migraines, strokes, Parkinson's disease, dystonia, tinnitus, depression and auditory hallucinations.



How does rTMS work?

The rTMS device allows a trained person to use an electromagnet to non-invasively stimulate the brain of a patient. A rapidly changing magnetic field created by a hand held magnetic coil causes weak electric currents in the brain through electromagnetic induction. By stimulating different areas of the brain, it is possible to elicit a therapeutic response in different disease states. rTMS can currently target sites in the brain to within a few millimeters and this eliminates the various side effects as would be seen by a non-specific treatment such as Electro Convulsive Therapy (ECT)

Advantages : Medstim rTMS

- Highly effective (based on result of clinical research, **rTMS** surpasses the success rates of Pharmacotherapy intervention and ECT)
- Few or no side effects (most severe side effect is a mild headache)
- Quick onset of therapeutic effect (typically within 1 week)
- Painless procedure, Non-invasive,
- No anesthesia required
- Outpatient therapy
- Excellent ability to target specific neuron areas
- Effectiveness requires 2 to 3 week treatment
- Ability to provide therapeutic benefit for treatment-resistant individuals.
- Patients do not have to stop taking medication in order to receive **rTMS**.
- Equivalent effectiveness in treating both patients with Major Depressive Disorder and those suffering from Bipolar Disorder.



Medstim is a complete line of non-invasive magnetic stimulation systems designed for clinical examinations and research within the areas of **Neurology, Rehabilitation, Psychiatry** and **Physiotherapy** developed by highly qualified technocrats having rich experience of 35 years in Biomedical Instruments Provides reliability -quality service to the **Neuro-Psychiatry** Community.....

Application :

Psychiatry : **rTMS** is very useful tool in treating Psychiatric disorders:- Bipolar disorder, Depression, Anxiety, OCD, Schizophrenia, ADHD and behavior disorders.

Neurology : **rTMS** is also useful in the treatment of some neurological disorders:- Parkinson's disease, writer's cramp, stroke, neuropathic pain, migraine and tinnitus.

Physiotherapy : **Medstim** is useful in rehabilitation and management of chronic pain.

MEP Monitoring (Optional)

The MEP Monitor can be added to the Medstim MS-10, MS-30 & MS-100 to acquire compound muscle action potential recording.

- Display MEP's on monitor screen.
- Up to 16 responses can be shown with superimpose function.
- Latency & amplitude display.



Coils

- The system stop stimulation in case coil heats up to 40 degree temperature.
- Coil stand with rotation at 360 degree.
- Provides very deep stimulations.
- Integrated with trigger button.

Butterfly Angular Coil



MQ-80

Butterfly Coil



MQ-60



Technical Specification Coils

Model	MQ 80 (100mm)	MQ 60 (90mm)	MQ 20 (30mm)
Type of Coil (Air cooled)	Angular figure of 8 coil	Butterfly/big ring	Sham/Placebo
Length of the coil	1.5 meters	1.5 meters	1.5 meters
Coil angle	120 degrees	Straight	Straight
Magnetic field	32 kT/sec.	31 kT/sec.	31 kT/sec.
Pulse width	320 μ s	320 μ s	320 μ s
Inbuilt core Temperature monitoring and protection.	Provided	Provided	Provided
Equipped with trigger button	Provided	Provided	Provided
Maximum stimulations before warm-up (75%)	1600 Pulses	1600 Pulses	1600 Pulses

Optional

Technical Specification rTMS

TECHNICAL SPECIFICATIONS	Model -MS 30	Model -MS 50	Model-MS 100
Pulse type	Bi-phasic (Full Sine)	Bi-phasic (Full Sine)	Bi-phasic (Full Sine)
Pulse width	320 μ s	320 μ s	320 μ s
Pulse modes	Single & Repetitive	Single & Repetitive	Single/Standard, Repetitive and Burst
Repetition rate	30 pps	50 pps	100 pps
Output energy range	30% – 100%	30% – 100%	30% – 100%
Max. Initial dB/dt (coil surface)	36 kilo tesla	36 kilo tesla	36 kilo tesla
Operating supply	230V +/-10% 50/60Hz	230V +/-10% 50/60Hz	230V +/-10% 50/60Hz
Maximum Power Consumption	2200VA	2200VA	2200VA
Standby Power Consumption	90VA	90VA	90VA
Theta Burst Protocol	Not Provided	Provided	Provided
Unit Weight	Approx. 15kg	Approx. 15kg	Approx. 15 kg.
Safety	BF type	BF type	BF type

Improvement programme make specification subject to change without notice.

MARKETED BY
R.S. Enterprises



Head Office
R.S. Enterprises
Mayfair Crown B-202
Zila Parishad Road
Jyoti Nagar, Siliguri
734001

Kolkata Branch
R.S. Enterprises
Upohor Complex
C-2/614, Chakgaria
Kolkata - 94

Guwahati Branch
R.S. Enterprises
TechForce,
Harakanta Sarmah Bhawan,
Mazzanine floor,
Dr. B. Borooah Road,
Ulubari, Guwahati 781007

An ISO 9001:2015 Certified Company

www.rsenterprisesindia.co.in

E-mail: rsenterprises27@gmail.com

Phone: 98323632661 / 9800685887 / 9474878436

MANUFACTURED BY
Medicaid Systems