

GREENMAX™ Compactor **POSEIDON C350**

For **PACKAGINGS**: PET Bottles, HDPE Bottles, Aluminium Cans, Beverage Cartons, Yogurt Cups

- Compact bottles early in the process and save space and handling.
- Increase density through compacting bottles rather than baling.
- Bottle caps popping off during compacting increases density.
- Water draining function squeezes out any liquid in the bottles to the water collection tray under the machine.
- Water collection tray is made of acid-resistant stainless steel to withstand the low PH in many liquids.



> Technical Data

ITEM	P-C350
Total Power Consumption	15.55 KW/ 21HP
Screw Rotation Speed	30rad/min
Screw Reduction ratio	50:1
Dimensions	5430*1100*1850 (l/w/h) mm / 214*43*73 (l/w/h) in.
Shipping Dimensions	Main part: 4100x1220x2410 (l/w/h) mm / 161x48x95 (l/w/h) in. Output chute: 1950x550x600 (l/w/h) mm / 77x22x24 (l/w/h) in.
Weight	1850 KG/ 4078 lbs
Feed Hopper Door	1240x1040x1850 (l/w/h) mm / 48x41x73 (l/w/h) in.
Production Capacity	350 KG per hour / 770 lbs per hour
Bottle Volume Reduction	8:1
Compressed PET Density	250 kg/m ³ / 510 lbs/cubic yard
Standard	CE / UL / CSA

Remarks: We can design tailor-made GreenMax™ compactors according to customer's special requirements **FREE OF CHARGE.**

APPLICABLE MATERIAL:



PET Bottles



HDPE Bottles



Aluminium Cans



Beverage Cartons



Yogurt Cups