

S. R. ELECTRICAL Co.

Industrial combination connection device



S. R. ELECTRICAL Co.

SERIES PLASTIC SWITCH BOX

MNEK SERIES COMBINED SOCKET DISTRIBUTION BOX

Socket distribution box is a new type power distribution equipment with overload, short-circuit and residual current protection devices. It adopts the industrial socket or electrical input socket as the output interface, quite suitable for indoor and outdoor work, and very convenient for user installation and operation; it is gradually taking the pace of terminal type power box, is popular with users. Its socket model and switch quantity can be customized according to the actual environmental demands. The box body is made of high quality PC or ABS by means of injection molding, is featured with waterproof, dustproof, rustproof, impact resistance and so on.
Executive standard: DIN VDE0623 IEC60309-2; ingress protection: IEC60529 IP67



S. R. ELECTRICAL Co.

Socket model can be customized
according to users' actual demands

order code: MNEK-ST-101



Enclosure size: 450 × 145 × 62mm
3CEE Socket 16A 220V 3Pin
3Circuit breaker 16A 2Pin



order code: MNEK-ST-102



Enclosure size: 280 × 190 × 130mm
2CEE Socket 16A 220V 3Pin
1CEE Socket 32A 380V 4Pin
2Circuit breaker 16A 2Pin
1Circuit breaker 32A 3Pin



order code: MNEK-ST-103



Enclosure size: 320 × 220 × 140mm
5Schuko Socket 16A 220V
1Circuit breaker 16A 1Pin
1Residual current operated C.B. 50A/0.03 3Pin



order code: MNEK-ST-104



Enclosure size: 380 × 280 × 130mm
1CEE Socket 32A 380V 4Pin
1Circuit breaker 32A 3Pin
1Residual current operated C.B. 63A/0.03 3Pin
1CEE Socket 16A 220V 3P
1Circuit breaker 16A 220V 2P



order code: MNEK-ST-105



Enclosure size: 400 × 300 × 160mm
2CEE Socket 16A 220V 3Pin
1CEE Socket 32A 380V 5Pin
2Schuko Socket 16A 220V
4Circuit breaker 16A 2Pin
1Residual current operated C.B. 63A/0.03 3Pin



order code: MNEK-ST-106



Enclosure size: 460 × 270 × 160mm
4CEE Socket 16A 220V 3Pin
1CEE Socket 32A 380V 5Pin
4Circuit breaker 16A 2Pin
1Circuit breaker 32A 4Pin
1Emergency switch CA-45



Socket model can be customized according to users' actual demands

order code: MNEK-BG-201



Enclosure size: 320 × 220 × 140mm
 5 Schuko Socket 16A 220V
 1 Circuit breaker 16A 1Pin
 1 Residual current operated C.B. 50A/0.03 3Pin

order code: MNEK-BG-202



Enclosure size: 380 × 190 × 130mm
 1 CEE Socket 32A 380V 4Pin
 2 CEE Socket 16A 220V 3Pin
 1 Circuit breaker 32A 3Pin
 2 Circuit breaker 16A 1Pin

order code: MNEK-BG-203



Enclosure size: 380 × 280 × 130mm
 1 CEE Socket 63A 380V 5Pin
 1 Circuit breaker 32A 4Pin

order code: MNEK-BG-204



Enclosure size: 400 × 300 × 160mm
 2 CEE Socket 16A 220V 3Pin
 1 CEE Socket 32A 380V 5Pin
 2 Schuko Socket 16A 220V
 4 Circuit breaker 16A 2Pin
 1 Residual current operated C.B. 63A/0.03 3Pin

order code: MNEK-BG-205



Enclosure size: 460 × 270 × 160mm
 4 CEE Socket 16A 220V 3Pin
 1 CEE Socket 32A 380V 5Pin
 4 Circuit breaker 16A 2Pin
 1 Circuit breaker 32A 4Pin
 1 Emergency switch CA-45

order code: MNEK-BG-206




Enclosure size: 560 × 380 × 180mm
 520 × 300 × 160mm
 1 CEE Socket 32A 380V 4Pin
 4 CEE Socket 16A 220V 3Pin
 2 Schuko Socket 16A 220V
 4 Circuit breaker 16A 2Pin
 1 Residual current operated C.B. 63A/0.03 3Pin

order code: EK-IT-301




- Enclosure size:260*300*180
- 1CEE Socket 16A 380V 5Pin
- 1CEE Socket 32A 380V 5Pin
- 1Circuit breaker 16A 3Pin
- 1Circuit breaker 16A 1Pin



order code: EK-IT-302




- Enclosure size:260*450*180
- 2CEE Socket 16A 220V 3Pin
- 1CEE Socket 32A 380V 5Pin
- 3Schuko Socket 16A 220V
- 2Circuit breaker 16A 3Pin
- 3Circuit breaker 16A 1Pin
- 1Residual current operated C.B 63A/0.03 4Pin



order code: EK-IT-303



- Enclosure size:260*600*180
- 3CEE Socket 16A 380V 4Pin
- 1CEE Socket 32A 380V 5Pin
- 1CEE Socket 16A 220V 3Pin
- 3Circuit breaker 16A 4Pin
- 1Circuit breaker 32A 3Pin
- 2Circuit breaker 16A 1Pin
- 1Residual current operated C.B 63A/0.03 4Pin



order code: EK-8XG601




- 1CEE/IEC Socket 16A 220V 3Pin
- 1CEE/IEC Socket 32A 220V 3Pin
- 1 Earth Leakage Circuit Breaker 50A 0.05A 3Pin
- 1 Miniature Circuit Breaker 16A C 1Pin
- 1 Miniature Circuit Breaker 32A C 1Pin



order code: EK-8XG602



- 1CEE/IEC Socket 16A 400V 5Pin
- 1CEE/IEC Socket 32A 220V 3Pin
- 1CEE/IEC Socket 32A 380V 4Pin
- 1CEE/IEC Socket 32A 400V 5Pin
- 1Miniature Circuit Breaker 32A C 1Pin
- 4Miniature Circuit Breaker 32A C 3Pin



order code: EK-8XG603



- 2CEE/IEC Socket 63A 220V 3Pin
- 2CEE/IEC Socket 63A 380V 4Pin
- 2CEE/IEC Socket 63A 400V 5Pin
- 1Miniature Circuit Breaker 125A C 2Pin
- 2Miniature Circuit Breaker 125A C 3Pin



Technological Innovation

Energy Saving



MFD. BY:-

S.R.ELECTRICAL Co.

554, Old Masuda Road, Outside Suraj Pole Gate

Beawar-305901 Dist.:- Ajmer (RAJ.) INDIA

Tele-fax: +91-1462-257089

Mob. : +91-9314488145, 9414259154, 9214882502

E-mail: srelctbwr2000@yahoo.co.in, srelctbwr2000@gmail.com

Webmail: <http://www.srelectricals.co.in>

